

Illinois Department of Transportation

District 5

Home	>	Applications	>	Bureaus and Associations	>	Forms and Templates	>	Maps and Roadway Data	>	Phone Book	>
Other	>	Suggestions	>								

ACTIVE SPECIAL PROVISIONS

TYPE: A CHECKSHEET

BDE SPECIAL PROVISIONS FOR THE APRIL 25 AND JUNE 13, 2014 LETTINGS

Remarks Concerning Usage:

USE ON ALL JOBS. CHECKSHEET FOR BDE SPECS.

Category: CONTRACT DOCUMENTS

Status: SPRINGFIELD SPEC IN USE

Effective: 4/1/2014 [2014APR~1](#)

Revised:

GUIDE BRIDGE SPECIAL PROVISIONS INDEX

Remarks Concerning Usage:

USE ON JOBS REQUIRING THE GUIDE BRIDGE SPECIAL PROVISIONS. THE ACTUAL SPECIAL PROVISIONS CAN BE FOUND ON THE IDOT INTERNET PAGE "DOING BUSINESS."

Category: BRIDGES

Status: SPRINGFIELD SPEC IN USE

Effective: 7/27/2007

Revised:

SUPPLEMENTAL SPECIFICATIONS AND RECURRING SPECIAL PROVISIONS

Remarks Concerning Usage:

USE ON ALL JOBS. CHECK SHEET FOR SUPPLEMENTAL SPECS.

Category: CONTRACT DOCUMENTS

Status: SPRINGFIELD SPEC IN USE

Effective: 1/1/2014 [2014 INDEX](#)

Revised:

TYPE: BDE

ABOVE GRADE INLET PROTECTION (BDE)

Remarks Concerning Usage:

USE AT THE DISTRICT'S DISCRETION

Category: EROSION CONTROL

Status: SPRINGFIELD SPEC IN USE

Effective: 7/1/2009 [80240](#)

Revised: 1/1/2012

ACCESSIBLE PEDESTRIAN SIGNALS (APS)(BDE)

Remarks Concerning Usage:

USE ON ALL CONTRACTS USING APS.

WRITTEN SUPPORT OF LOCAL MUNICIPAL OFFICIALS WILL BE REQUIRED PRIOR TO APPROVING THE USE OF APS IN CONTRACTS.

Category: TRAFFIC SIGNALS

Status: SPRINGFIELD SPEC IN USE

Effective: 4/1/2003 [80099](#)

Revised: 1/1/2014

AGGREGATE SUBGRADE IMPROVEMENT (BDE)

Category: SUBGRADE

Status: JOB-SPECIFIC USE ONLY

Remarks Concerning Usage:

USE IN ALL CONTRACTS UTILIZING AGGREGATE SUBGRADE IMPROVEMENTS. VERIFY THICKNESS WITH DISTRICT GEOTECH ENGINEER. BDE SPECIAL PROVISION "RECLAIMED ASPHALT PAVEMENT (RAP) AND RECLAIMED ASPHALT SHINGLES (RAS) SHOULD ALSO BE INCLUDED IN THE CONTRACT.

Effective: 4/1/2012 [80274](#)**Revised:** 1/1/2013**AUTOMATED FLAGGER ASSISTANCE DEVICES (BDE)****Category:** TRAFFIC CONTROL**Status:** SPRINGFIELD SPEC IN USE**Remarks Concerning Usage:**

USE ON TWO-LANE HIGHWAYS WHERE TWO-WAY TRAFFIC WILL BE MAINTAINED OVER ONE LANE OF PAVEMENT.

Effective: 1/1/2008 [80192](#)

EXAMPLES BEING RURAL MILLING AND/OR RESURFACING PROJECTS, BRIDGE MAINTENANCE PROJECTS WHERE THE USE OF A FLAGGER IS REQUIRED.

Revised:**BITUMINOUS MATERIALS COST ADJUSTMENTS (BDE) (RETURN FORM WITH BID)****Category:** MATERIAL COST ADJUSTMENTS**Status:** SPRINGFIELD SPEC IN USE**Remarks Concerning Usage:**

USE ON ALL PROJECTS WITH AT LEAST 1200 TONS (1100 METRIC TONS) OF APPLICABLE BITUMINOUS WORK. THE ADJUSTMENTS ARE APPLICABLE TO PERMANENT AND TEMPORARY HMA MIXTURES, BITUMINOUS SURFACE TREATMENTS (COVER AND SEAL COATS), AND PAVEMENT PRESERVATION TYPE SURFACE TREATMENTS.

Effective: 11/2/2006 [80173](#)**Revised:** 8/1/2013**BRIDGE DEMOLITION DEBRIS (BDE)****Category:** BRIDGES AND STRUCTURES
REMOVAL ITEMS**Status:** SPRINGFIELD SPEC IN USE**Remarks Concerning Usage:**

USE IN CONTRACTS IN WHICH A UNIT OF LOCAL GOVERNMENT HAS EXPRESSED INTEREST IN THE DEBRIS AND HAS COORDINATED WITH THE DISTRICT BUREAU OF LOCAL ROADS & STREETS

Effective: 7/1/2009 [80241](#)**Revised:****BUILDING REMOVAL - CASE I (NON-FRIABLE AND FRIABLE ASBESTOS) (BDE)****Category:** ENVIRONMENTAL
REMOVAL ITEMS**Status:** SPRINGFIELD SPEC IN USE**Remarks Concerning Usage:**

FOR CASES WITH BOTH FRIABLE AND NON-FRIABLE ASBESTOS. CONSULT WITH DENNIS MARTIN CONCERNING INVESTIGATION.

Effective: 9/1/1990 [5026i](#)**Revised:** 4/1/2010**BUILDING REMOVAL - CASE II (NON-FRIABLE ASBESTOS) (BDE)****Category:** ENVIRONMENTAL
REMOVAL ITEMS**Status:** SPRINGFIELD SPEC IN USE**Remarks Concerning Usage:**

FOR CASES WITH ONLY NON-FRIABLE ASBESTOS. CONSULT WITH DENNIS MARTIN CONCERNING INVESTIGATION.

Effective: 9/1/1990 [5048i](#)**Revised:** 4/1/2010**BUILDING REMOVAL - CASE III (FRIABLE ASBESTOS) (BDE)****Category:** ENVIRONMENTAL
REMOVAL ITEMS**Status:** SPRINGFIELD SPEC IN USE**Remarks Concerning Usage:**

FOR CASES WITH ONLY FRIABLE ASBESTOS. CONSULT WITH DENNIS MARTIN CONCERNING INVESTIGATION.

Effective: 9/1/1990 [5049i](#)

Revised: 4/1/2010

BUILDING REMOVAL - CASE IV (NO ASBESTOS) (BDE)

Remarks Concerning Usage:

INCLUDE ON CONTRACTS INVOLVING BUILDING REMOVAL WITH NO ASBESTOS ABATEMENT WHATSOEVER.

Category: ENVIRONMENTAL
REMOVAL ITEMS

Status: SPRINGFIELD SPEC IN USE

Effective: 9/1/1990 [5053i](#)

Revised: 4/1/2010

COARSE AGGREGATE IN BRIDGE APPROACH SLABS/FOOTINGS (BDE)

Remarks Concerning Usage:

USE ON ALL CONTRACTS WITH BRIDGE APPROACH SLABS AND BRIDGE APPROACH FOOTINGS.

Category: AGGREGATES
BRIDGE SUPERSTRUCTURE

Status: APPROVED WITHOUT
RESTRICTION

Effective: 4/1/2012 [80292](#)

Revised: 4/1/2013

COATED GALVANIZED STEEL CONDUIT (BDE)

Remarks Concerning Usage:

USE ON ALL CONTRACTS REQUIRING COATED GALVANIZED STEEL CONDUIT IN ELECTRICAL INSTALLATIONS.

Category: CONDUIT

Status: SPRINGFIELD SPEC IN USE

Effective: 1/1/2013 [80310](#)

Revised:

COMPLETION DATE (VIA CALENDAR DAYS) (BDE)

Remarks Concerning Usage:

SHOULD BE USED AT THE DISTRICT'S DISCRETION AND PER THE BDE PROCEDURE MEMORANDUM, "SELECTING CONTRACT TIME AND SELECTING PROJECT LETTING DATES."

Category: CONTRACT DOCUMENTS

Status: SPRINGFIELD SPEC IN USE

Effective: 4/1/2008 [80198](#)

Revised:

COMPLETION DATE (VIA CALENDAR DAYS) PLUS WORKING DAYS (BDE)

Remarks Concerning Usage:

USE D5 SPECIAL PROVISION INSTEAD

Category: CONTRACT DOCUMENTS

Status: SPRINGFIELD SPEC IN USE

Effective: 4/1/2008 [80199](#)

Revised:

CONCRETE BOX CULVERTS WITH SKEWS < or = 30 DEGREES REGARDLESS OF DESIGN FILL AND SKEWS > 30 DEGREES WITH DESIGN FILLS > 5 FEET (BDE)

Remarks Concerning Usage:

USE ON ALL CONTRACTS WITH SKEW LESS THAN OR EQUAL TO 30 DEGREES REGARDLESS OF DESIGN FILL AND SKEWS >30 DEGREES AND DESIGN FILLS > 5 FEET.

Category: BOX CULVERTS

Status: APPROVED WITHOUT
RESTRICTION

Effective: 4/1/2012 [80294](#)

Revised: 4/1/2014

CONCRETE BOX CULVERTS WITH SKEWS > 30 DEGREES AND DESIGN FILLS < or = 5 FEET (BDE)
Remarks Concerning Usage:

USE ON ALL CONTRACTS WITH SKEW >30 DEGREES AND DESIGN FILL LESS THAN OR EQUAL TO 5 FEET.

Category: BOX CULVERTS**Status:** APPROVED WITHOUT RESTRICTION**Effective:** 4/1/2012 [80293](#)**Revised:** 4/1/2014

CONCRETE END SECTIONS FOR PIPE CULVERTS (BDE)
Remarks Concerning Usage:

USE ON ALL CONTRACTS CONTAINING STANDARDS 542001, 542006, 542011, OR 542016

Category: PIPE CULVERTS**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/2013 [80311](#)**Revised:**

CONCRETE GUTTER, CURB, MEDIAN AND PAVED DITCH (BDE)
Remarks Concerning Usage:

USE ON ALL CONTRACTS INVOLVING CONCRETE GUTTER, CURB, MEDIAN, AND PAVED DITCH

Category: CURB AND GUTTER**Status:** SPRINGFIELD SPEC IN USE**Effective:** 4/1/2014 [80334](#)**Revised:**

CONCRETE MIX DESIGN - DEPARTMENT PROVIDED (BDE)
Remarks Concerning Usage:

DO NOT USE FOR ANY 2013 OR LATER LET D5 PROJECTS.
NOT IN USE IN D5

Category: CONCRETE

1020

Status: SPRINGFIELD SPEC IN USE**Effective:** 1/1/2012 [80277](#)**Revised:** 1/1/2014

CONSTRUCTION AIR QUALITY - DIESEL RETROFIT (BDE)
Remarks Concerning Usage:

THIS BDE SPECIAL PROVISION DOES NOT APPLY IN DISTRICT 5

Category: EQUIPMENT**Status:** SPRINGFIELD SPEC IN USE**Effective:** 7/1/2010 [80261](#)**Revised:** 1/1/2014

CONTRACT CLAIMS (BDE)
Remarks Concerning Usage:

USE ON ALL CONTRACTS

Category: CONTRACT DOCUMENTS**Status:** SPRINGFIELD SPEC IN USE**Effective:** 4/1/2014 [80335](#)**Revised:**

DISADVANTAGED BUSINESS ENTERPRISE PARTICIPATION (BDE)
Remarks Concerning Usage:

USE ON ALL CONTRACTS WITH DBE GOALS.

Category: CONTRACT DOCUMENTS**Status:** SPRINGFIELD SPEC IN USE**Effective:** 9/1/2000 [80029](#)**Revised:** 8/2/2011

Category: HOT-MIX ASPHALT

FRICITION AGGREGATE (BDE)

Remarks Concerning Usage:
USE BMPR SPECIAL PROVISION INSTEAD

AGGREGATE
Status: USE BMPR SPEC INSTEAD
Effective: 1/1/2011 [80265](#)
Revised:

FUEL COST ADJUSTMENT (BDE)

Remarks Concerning Usage:
USE IN ALL CONTRACTS WITH AT LEAST 25,000 CY (20,000 CM) OF EARTHWORK ITEMS; 5,000 TONS (4,500 METRIC TONS) OF APPL. AGGREGATE OR HMA BASE COURSES, PAVEMENT AND SHOULDER ITEMS; 7,500 SY (6,000 SM) OF APP. PCC BASE COURSES, PAVEMENT AND SHOULDER ITEMS;
AND \$250,000 OF APPL. STRUCTURAL ITEMS. SEE DESIGNER NOTE FOR ADDITIONAL USES.

Category: MATERIAL COST ADJUSTMENTS
Status: SPRINGFIELD SPEC IN USE
Effective: 4/1/2009 [80229](#)
Revised: 7/1/2009

GLARE SCREEN (BDE)

Remarks Concerning Usage:
INSERT IN CONTRACT USING GLARE SCREENS.

Category: GLARE SCREEN
Status: SPRINGFIELD SPEC IN USE
Effective: 1/1/2014 [80329](#)
Revised:

GRANULAR MATERIALS (BDE)

Remarks Concerning Usage:
INCLUDE IN ALL CONTRACTS UTILIZING GRANULAR EMBANKMENT, GRANULAR BACKFILL, POROUS GRANULAR EMBANKMENT, POROUS GRANULAR BACKFILL, BEDDING, TRENCH BACKFILL, OR FRENCH DRAINS

Category: AGGREGATE
Status: SPRINGFIELD SPEC IN USE
Effective: 11/1/2012 [80303](#)
Revised:

GROOVING FOR RECESSED PAVEMENT MARKINGS (BDE)

Remarks Concerning Usage:
INCLUDE IN ALL CONTRACTS WHERE THE GROOVING OF PAVEMENT MARKING MATERIALS HAS BEEN SPECIFIED

Category: PAVEMENT MARKING
Status: SPRINGFIELD SPEC IN USE
Effective: 11/1/2012 [80304](#)
Revised: 1/1/2013

HOT-MIX ASPHALT - DENSITY TESTING OF LONGITUDINAL JOINTS (BDE)

Remarks Concerning Usage:
USE D5 SPECIAL "LONGITUDINAL JOINT DENSITY (D5-FG)" INSTEAD.

Category: HOT-MIX ASPHALT
Status: DON'T USE
Effective: 1/1/2010 [80246](#)
Revised: 4/1/2012

HOT-MIX ASPHALT - MIXTURE DESIGN COMPOSITION AND VOLUMETRIC REQUIREMENTS (BDE)

Remarks Concerning Usage:
USE ON ALL HMA CONTRACTS

Category: HOT MIX ASPHALT
Status: SPRINGFIELD SPEC IN USE
Effective: 11/1/2013 [80322](#)
Revised:

HOT-MIX ASPHALT - MIXTURE DESIGN VERIFICATION AND PRODUCTION (BDE)

Remarks Concerning Usage:
USE ON ALL HMA CONTRACTS.

Category: HMA

Status: SPRINGFIELD SPEC IN USE

Effective: 11/1/2013 [80323](#)

Revised:

INSERTION LINING OF CULVERTS (BDE)

Remarks Concerning Usage:
USE IN CONTRACTS REQUIRING INSERTION LINING OF CULVERTS.

Category: CULVERTS

Status: SPRINGFIELD SPEC IN USE

Effective: 1/1/2013 [80315](#)

Revised: 11/1/2013

LONGITUDINAL JOINT AND CRACK PATCHING (BDE)

Remarks Concerning Usage:
USE ON ALL CONTRACTS INVOLVING LONGITUDINAL PARTIAL DEPTH PATCHING

Category: PATCHING

Status: SPRINGFIELD SPEC IN USE

Effective: 4/1/2014 [80336](#)

Revised:

LRFD PIPE CULVERT BURIAL TABLES (BDE)

Remarks Concerning Usage:
USE ON ALL CONTRACTS WITH PIPE CULVERT INSTALLATION.

Category: PIPE CULVERTS

Status: SPRINGFIELD SPEC IN USE

Effective: 11/1/2013 [80324](#)

Revised: 4/1/2014

LRFD STORM SEWER BURIAL TABLES (BDE)

Remarks Concerning Usage:
USE ON ALL CONTRACTS WITH STORM SEWER INSTALLATION.

Category: STORM SEWER

Status: SPRINGFIELD SPEC IN USE

Effective: 11/1/2013 [80325](#)

Revised:

MATERIAL TRANSFER DEVICE (BDE)

Remarks Concerning Usage:
USE ON ALL INTERSTATE HOT-MIX ASPHALT PAVING CONTRACTS.
CAN BE INSERTED ON OTHER HOT-MIX ASPHALT PROJECTS AT THE DISTRICT'S DISCRETION. SPECIAL PROVISION CONTAINS 3 FILL IN THE BLANK AREAS WHICH MUST BE DETERMINED BY THE DISTRICT.

Category: HOT-MIX ASPHALT

Status: SPRINGFIELD SPEC IN USE

Effective: 6/15/1999 [80045](#)

Revised: 1/1/2009

MOISTURE CURED URETHANE PAINT SYSTEM (BDE)

Remarks Concerning Usage:
USE ON ALL PROJECTS REQUIRING A MOISTURE CURED URETHANE PAINT SYSTEM.

Category: BRIDGE PAINTING

Status: SPRINGFIELD SPEC IN USE

Effective: 11/1/2006 [80165](#)

Revised: 1/1/2010

PAVED SHOULDER REMOVAL (BDE)

Remarks Concerning Usage:
USE IN CONTRACTS INVOLVING THE REMOVAL EITHER HMA OR PCC SHOULDERS

Category: SHOULDER REMOVAL

Status: SPRINGFIELD SPEC IN USE

Effective: 4/1/2014 [80337](#)

Revised:**PAVEMENT MARKING FOR BIKE SYMBOL (BDE)****Remarks Concerning Usage:**

INCLUDE IN CONTRACT USING HIGHWAY DESIGN STANDARD 780001.

Category: PAVEMENT MARKING**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/2014 [80330](#)**Revised:****PAVEMENT MARKING TAPE TYPE IV (BDE)****Remarks Concerning Usage:**

USE IN CONTRACTS WHERE THE USE OF THIS MATERIAL HAS BEEN APPROVED BY THE BUREAU OF MATERIALS AND PHYSICAL RESEARCH.

Category: PAVEMENT MARKING**Status:** JOB-SPECIFIC USE ONLY**Effective:** 4/1/2012 [80298](#)**Revised:****PAVEMENT PATCHING (BDE)****Remarks Concerning Usage:**

INSERT IN PROJECTS WITH PAVEMENT PATCHING

Category: PAVEMENT PATCHING
TRAFFIC CONTROL**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/2010 [80254](#)**Revised:** 1/1/2012**PAYROLLS AND PAYROLL RECORDS (BDE)****Remarks Concerning Usage:**

USE IN ALL CONTRACTS.

Category: CONTRACT DOCUMENTS**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/2014 [80331](#)**Revised:****PORTLAND CEMENT CONCRETE - CURING OF ABUTMENTS AND PIERS (BDE)****Remarks Concerning Usage:**

USE IN CONTRACTS INVOLVING CAST-IN-PLACE, PRECAST, OR PRECAST PRESTRESSED CONCRETE ABUTMENTS AND/OR PIERS.

Category: BRIDGES & STRUCTURES**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/2014 [80332](#)**Revised:****PORTLAND CEMENT CONCRETE EQUIPMENT (BDE)****Remarks Concerning Usage:**

USE ON ALL CONTRACTS WITH CAST-IN-PLACE, PRECAST, AND PRECAST PRESTRESSED CONCRETE.

Category: CONCRETE**Status:** SPRINGFIELD SPEC IN USE**Effective:** 11/1/2013 [80326](#)**Revised:****PORTLAND CEMENT CONCRETE PARTIAL DEPTH HOT-MIX ASPHALT PATCHING (BDE)****Remarks Concerning Usage:**

USE IN CONTRACTS INVOLVING PARTIAL DEPTH PATCHING OF PCC PAVEMENT REPLACES RECURRING CHECK SHEET #15.

Category: PATCHING**Status:** SPRINGFIELD SPEC IN USE**Effective:** 4/1/2014 [80338](#)**Revised:**

PREFORMED PLASTIC PAVEMENT MARKING TYPE D - INLAID (BDE)**Remarks Concerning Usage:**

USE IN CONTRACTS WHERE THE USE OF THIS MATERIAL AS BEEN APPROVED BY THE BUREAU OF MATERIALS AND PHYSICAL RESEARCH

Category: PAVEMENT MARKING**Status:** JOB-SPECIFIC USE ONLY**Effective:** 4/1/2012 [80300](#)**Revised:****PROGRESS PAYMENTS (BDE)****Remarks Concerning Usage:**

USE ON ALL JOBS.

Category: CONTRACT DOCUMENTS**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/2014 [80328](#)**Revised:****QUALITY CONTROL/QUALITY ASSURANCE OF CONCRETE MIXTURES (BDE)****Remarks Concerning Usage:**

INCLUDE IN PROJECTS INVOLVING CAST-IN-PLACE CONCRETE AT THE DISTRICT'S DISCRETION.

USE ONLY WHEN APPROVED BY D5 MATERIALS (IT IS CURRENTLY NOT IN USE).

Category: CONCRETE

QC/QA

Status: SPRINGFIELD SPEC IN USE**Effective:** 1/1/2012 [80281](#)**Revised:** 1/1/2014**RAILROAD PROTECTIVE LIABILITY INSURANCE (5 AND 10) (BDE)****Remarks Concerning Usage:**

DISCUSS WITH THE RAILROAD COORDINATOR. ONLY USE IN CONTRACTS INVOLVING CLASS 1 RAILROADS.

Category: RAILROADS**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/2006 [80157](#)**Revised:****RAILROAD PROTECTIVE LIABILITY INSURANCE (BDE)****Remarks Concerning Usage:**

DISCUSS WITH THE RAILROAD COORDINATOR. THIS SPECIAL PROVISION SHOULD ONLY BE USED FOR "SHORT-LINE" (MINOR) RAILROADS.

Category: CONTRACT DOCUMENTS
RAILROADS**Status:** SPRINGFIELD SPEC IN USE**Effective:** 12/1/1986 [3426I](#)**Revised:** 1/1/2006**RECLAIMED ASPHALT PAVEMENT AND RECLAIMED ASPHALT SHINGLES (BDE)****Remarks Concerning Usage:**

INCLUDE IN ALL HMA CONTRACTS

Category: HOT-MIX ASPHALT**Status:** SPRINGFIELD SPEC IN USE**Effective:** 11/1/2012 [80306](#)**Revised:** 4/1/2014**REINFORCEMENT BARS (BDE)****Remarks Concerning Usage:**

USE ON ALL CONTRACTS WITH CAST-IN-PLACE, PRECAST, AND PRECAST PRESTRESSED CONCRETE.

Category: CONCRETE**Status:** SPRINGFIELD SPEC IN USE**Effective:** 11/1/2013 [80327](#)**Revised:**

REMOVAL AND DISPOSAL OF REGULATED SUBSTANCES (BDE)**Remarks Concerning Usage:**

INCLUDE IN ALL PROJECTS INVOLVING EXCAVATION AND GRADING.

Category: ENVIRONMENTAL**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/2012 [80283](#)**Revised:** 11/2/2012**REMOVAL AND DISPOSAL OF SURPLUS MATERIALS (BDE)****Remarks Concerning Usage:**

INCLUDE IN ALL PROJECTS INVOLVING EXCAVATION AND GRADING.

Category: ENVIRONMENTAL**Status:** SPRINGFIELD SPEC IN USE**Effective:** 11/2/2012 [80319](#)**Revised:****SEEDING (BDE)****Remarks Concerning Usage:**

INCLUDE IN ALL CONTRACTS WITH SEEDING, CLASS 3

Category: SEEDING**Status:** SPRINGFIELD SPEC IN USE**Effective:** 11/1/2012 [80307](#)**Revised:****STABILIZED SUBBASE (BDE)****Remarks Concerning Usage:**

USE IN CONTRACTS INVOLVING THE CONSTRUCTION OF HMA STABILIZED SUBBASE AND STABILIZED SUBBASE (WHICH WOULD ALLOW THE CONTRACTOR THE OPTION OF CHOOSING HMA)

Category: STABILIZED SUBBASE**Status:** SPRINGFIELD SPEC IN USE**Effective:** 4/1/2014 [80339](#)**Revised:****STEEL COST ADJUSTMENT (BDE)****Remarks Concerning Usage:**

USE ON ALL CONTRACTS INVOLVING STEEL METAL PILING (EXCLUDING TEMPORARY SHEET PILING), STRUCTURAL STEEL, AND REINFORCING STEEL. IT SHOULD ALSO BE INCLUDED FOR OTHER MATERIALS SUCH AS DOWEL BARS, TIE BARS, MESH REINFORCEMENT, GUARDRAIL, ETC.

Category: STEEL ITEMS**Status:** SPRINGFIELD SPEC IN USE**Effective:** 4/2/2004 [80127](#)**Revised:** 4/1/2009**SURFACE TESTING OF HOT-MIX ASPHALT OVERLAYS (BDE)****Remarks Concerning Usage:**

USE ON ALL HMA JOBS WITH 3-3/4" OR GREATER OVERLAYS.

Category: HOT-MIX ASPHALT**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/2013 [80317](#)**Revised:****TRACKING THE USE OF PESTICIDES (BDE)****Remarks Concerning Usage:**

USE ON ALL CONTRACTS.

Category: ENVIRONMENTAL**Status:** SPRINGFIELD SPEC IN USE**Effective:** 8/1/2012 [80301](#)**Revised:****Category:** TRAFFIC CONTROL

TRAFFIC CONTROL SETUP AND REMOVAL FREEWAY/EXPRESSWAY (BDE)

Remarks Concerning Usage:

USE IN CONTRACTS USING HIGHWAY DESIGN STANDARD 701428.

Status: SPRINGFIELD SPEC IN USE

Effective: 1/1/2014 [80333](#)

Revised:

TRAINING SPECIAL PROVISIONS (BDE)

Remarks Concerning Usage:

DISCUSS WITH STACEY LAWTON (EEO OFFICER).

Category: CONTRACT DOCUMENTS

Status: SPRINGFIELD SPEC IN USE

Effective: 10/1/1975 [20338](#)

Revised:

TRAVERSABLE PIPE GRATE (BDE)

Remarks Concerning Usage:

USE ON ALL CONTRACTS THAT INCLUDE STANDARD 542311.

Category: CULVERTS

Status: SPRINGFIELD SPEC IN USE

Effective: 1/1/2013 [80318](#)

Revised: 4/1/2014

WARM MIX ASPHALT (BDE)

Remarks Concerning Usage:

INCLUDE IN ALL HMA CONTRACTS.

Category: WARM-MIX ASPHALT

Status: SPRINGFIELD SPEC IN USE

Effective: 1/1/2012 [80288](#)

Revised: 11/1/2013

WEEKLY DBE TRUCKING REPORTS (BDE)

Remarks Concerning Usage:

INCLUDE IN ALL CONTRACTS

Category: CONTRACT DOCUMENTS

Status: SPRINGFIELD SPEC IN USE

Effective: 6/2/2012 [80302](#)

Revised:

WET REFLECTIVE THERMOPLASTIC PAVEMENT MARKING (BDE)

Remarks Concerning Usage:

INCLUDE IN ALL PROJECTS INVOLVING WET REFLECTIVE THERMOPLASTIC PAVEMENT MARKING.

Category: PAVEMENT MARKING

Status: SPRINGFIELD SPEC IN USE

Effective: 1/1/2012 [80289](#)

Revised:

WORKING DAYS (BDE)

Remarks Concerning Usage:

USE ON ALL WORKING DAY CONTRACTS.

Category: CONTRACT DOCUMENTS

Status: SPRINGFIELD SPEC IN USE

Effective: 1/1/2002 [80071](#)

Revised:

TYPE: OTHER

ADJUSTING OF FRAMES AND GRATES OF DRAINAGE AND

Category: MISCELLANEOUS

UTILITY STRUCTURES

STORM AND SANITARY SEWERS

Status: APPROVED WITHOUT RESTRICTION**Effective:** 3/9/2001 [603](#)**Revised:** 3/28/2007**Remarks Concerning Usage:**

USE FOR ANY RESURFACING JOBS WITH ADJUSTMENT OF FRAMES/LIDS/GRATES IN THE PAVEMENT. GRATES ARE ADJUSTED AFTER THE SURFACE COURSE HAS BEEN PLACED.

AGGREGATE BASE COURSE**Category:** AGGREGATE

PAVEMENT STRUCTURE

Status: JOB-SPECIFIC USE ONLY**Effective:** 9/11/1990 [351](#)**Revised:** 1/1/2014**Remarks Concerning Usage:**

MAY BE USED FOR AGGREGATE BASE COURSE TOP LIFT ON JURISDICTIONAL TRANSFER JOBS ONLY.

BASE COURSE (OPTION)**Category:** BASE COURSE**Status:** JOB SPECIFIC USE ONLY**Effective:** 8/2/2004 [Z00290](#)**Revised:** 1/1/2014**Remarks Concerning Usage:**

DISCUSS WITH PROJECT ENGINEER BEFORE USING. THICKNESS OF EITHER OPTION TO BE DETERMINED BY PAVEMENT DESIGN. HOT-MIX ASPHALT MIXTURE DESIGNATION WILL COME FROM MATERIALS.

BITUMINOUS SURFACE TREATMENT, SPECIAL (LONGITUDINAL)**Category:** BITUMINOUS CONCRETE**Status:** JOB SPECIFIC USE ONLY**Effective:** 1/3/2006 [403A](#)**Revised:** 1/1/2014**Remarks Concerning Usage:**

DISCUSS WITH MATERIALS PRIOR TO USING.

BRIDGE DECK POUR WEATHER RESTRICTIONS**Category:** PROSECUTION & PROGRESS**Status:** JOB SPECIFIC USE ONLY**Effective:** 4/1/2014 [10804](#)**Revised:****Remarks Concerning Usage:**

USE ON BRIDGE JOBS WHEN GBSP #78 IS CHECKED. INCLUDE QUANTITY FOR NIGHTTIME WORK ZONE LIGHTING IN THE PLANS.

CHANGEABLE MESSAGE SIGN**Category:** TRAFFIC CONTROL**Status:** JOB-SPECIFIC USE ONLY**Effective:** 3/23/2004 [101pcms](#)**Revised:** 1/1/2014**Remarks Concerning Usage:**

USE WHEN "CALENDAR MONTH" IS TOO LARGE A UNIT FOR MEASURING USE OF THESE SIGNS.

DO NOT USE WHEN USING TRAFFIC CONTROL AND PROTECTION STANDARD 701400.

COMPLETION DATE (VIA CALENDAR DAYS) PLUS WORKING DAYS**Category:** CONTRACT DOCUMENTS**Status:** DISTRICT SPEC IN USE**Effective:** 3/29/2012 [108B](#)**Revised:****Remarks Concerning Usage:**

USE ON APPLICABLE NON-STRUCTURE PROJECTS.

COMPLETION DATE PLUS GUARANTEED WORKING DAYS

Remarks Concerning Usage:
USE ON APPLICABLE STRUCTURE PROJECTS.

Category: CONTRACT DOCUMENTS

Status: DISTRICT SPEC IN USE

Effective: 3/19/2012 [108A](#)

Revised:

CONCRETE MEDIAN SURFACE REMOVAL

Remarks Concerning Usage:
ESTABLISHES PAY ITEM.

Category: REMOVAL ITEMS

Status: APPROVED WITHOUT RESTRICTION

Effective: 9/11/1990 [440C](#)

Revised: 1/1/2014

CONTRACTOR ACCESS

Remarks Concerning Usage:
INCLUDE IN THE TRAFFIC CONTROL PLAN.

Category: ACCESS THRU JOB SITE

Status: APPROVED WITHOUT RESTRICTION

Effective: 9/11/1990 [101A](#)

Revised: 1/1/2013

DETOUR SIGNING

Remarks Concerning Usage:
JOB SPECIFIC USE. ASK YOUR PROJECT ENGINEER BEFORE USING.
OPERATIONS ONLY PROVIDES THE "ROUTE SHIELD MARKERS."

Category: TRAFFIC CONTROL

Status: JOB SPECIFIC USE ONLY

Effective: 1/18/2005 [10404](#)

Revised: 7/14/2011

EMBANKMENT

Remarks Concerning Usage:
PRIMARILY TO BE USED FOR SOILS THAT WILL BE PLACED UNDER PAVEMENT. USE WHEN RECOMMENDED BY THE GEOTECHNICAL ENGINEER.

Category: EARTHWORK

EMBANKMENT

Status: JOB-SPECIFIC USE ONLY

Effective: 4/18/2002 [205](#)

Revised: 1/1/2014

EXCAVATION

Remarks Concerning Usage:
THIS SHOULD BE INCLUDED IN THE TRAFFIC CONTROL PLAN IF IT APPLIES.

Category: TRAFFIC CONTROL

EARTHWORK

Status: JOB-SPECIFIC USE ONLY

Effective: 9/11/1990 [202](#)

Revised: 1/1/2013

FILLING EXISTING CULVERTS

Remarks Concerning Usage:
USE WHEN EXISTING CULVERTS TO BE ABANDONED IN PLACE

Category: MISCELLANEOUS

Status: DISTRICT SPEC IN USE

Effective: 1/5/2010 [Z0023](#)

Revised:

FLAGGER RESTRICTIONS

Category: TRAFFIC CONTROL

Status: JOB-SPECIFIC USE ONLY

Remarks Concerning Usage:

USE ON HIGH ADT INTERSTATE AND BUSINESS LOOP MULTILANE ROADWAY

Effective: 1/1/2014 [701F](#)**Revised:****FRICTION AGGREGATE (BMPR)****Remarks Concerning Usage:**

USE IN ALL HMA CONTRACTS

Category: HOT-MIX ASPHALT
AGGREGATE**Status:** BMPR SPEC IN USE**Effective:** 1/1/2010 [2012 FRICTION
POLICY](#)**Revised:** 9/1/2012**GRANULAR EMBANKMENT, SPECIAL****Remarks Concerning Usage:**

ADDITIONAL SPECS REQUIRED BY THE DISTRICT

Category: AGGREGATE
EMBANKMENT**Status:** DISTRICT SPEC IN USE**Effective:** 10/25/2001 [206](#)**Revised:** 1/1/2014**GUARD POST REMOVAL****Remarks Concerning Usage:**

USE TO ESTABLISH THIS PAY ITEM IF NEEDED.

Category: REMOVAL ITEMS**Status:** JOB-SPECIFIC USE ONLY**Effective:** 9/11/1990 [632A](#)**Revised:** 1/1/2014**GUARD POSTS****Remarks Concerning Usage:**

GIVES DIMENSIONS FOR GUARD POSTS.

Category: GUARDRAIL, FENCE &
APPURTENANCES**Status:** DISTRICT SPEC IN USE**Effective:** 3/5/1997 [634](#)**Revised:** 1/1/2014**GUARDRAIL INSTALLATION TIME****Remarks Concerning Usage:**

USE ON JOBS WITH GUARDRAIL.

Category: TRAFFIC CONTROL AND
PROTECTION
GUARDRAIL**Status:** JOB-SPECIFIC USE ONLY**Effective:** 1/29/1999 [701B](#)**Revised:** 1/1/2014**GUARDRAIL REMOVAL AND INSTALLATION****Remarks Concerning Usage:**PLACE IN THE TRAFFIC CONTROL PLAN. USE WHEN DOING
GUARDRAIL WORK ADJACENT TO OPEN LANES.**Category:** GUARDRAIL, FENCE &
APPURTENANCES
TRAFFIC CONTROL**Status:** APPROVED WITHOUT
RESTRICTION**Effective:** 9/11/1990 [101C](#)**Revised:** 1/1/2014**HISTORIC CONCRETE PAVEMENT RESTORATION (BMPR)****Category:** HISTORIC CONCRETE
PAVEMENT

Remarks Concerning Usage:

USE ON PROJECTS WITHIN THE HISTORIC SECTION. MAP (TO BE DELETED)
FOLLOWS THE SPECIAL PROVISION

Status: JOB-SPECIFIC USE ONLY

Effective: 6/14/2013 [histconc](#)

Revised:

HMA SURFACE REMOVAL FOR SUBSEQUENT RESURFACING

Remarks Concerning Usage:

USE ON ALL JOBS THAT INCLUDE MILLING

Category: PAVEMENT MILLING

Status: APPROVED WITHOUT RESTRICTION

Effective: 9/16/2009 [440J](#)

Revised:

HOT MIX ASPHALT - PAY FOR PERFORMANCE USING PERCENT WITHIN LIMITS - JOBSITE SAMPLING (BMPR)

Remarks Concerning Usage:

USE FOR INTERSTATE MAINLINE HMA THAT HAS > 8000 TONS PER MIX.

Category: HOT MIX ASPHALT

Status: BMPR SPEC IN USE

Effective: 4/4/2008 [FFPJOBSSAMPLING](#)

Revised: 12/18/2012

HOT MIX ASPHALT QUALITY CONTROL FOR PERFORMANCE (BMPR)

Remarks Concerning Usage:

DISCUSS USE WITH BUREAU OF MATERIALS.

Category: HOT MIX ASPHALT
QC/QA

Status: JOB-SPECIFIC USE ONLY

Effective: 1/1/2012 [HMA QCP](#)

Revised: 12/1/2013

HOT-MIX ASPHALT - REQUIRED FIELD TESTS

Remarks Concerning Usage:

USE FOR ALL PROJECTS WITH HMA

Category: HOT-MIX ASPHALT

Status: DISTRICT SPEC IN USE

Effective: 1/1/2011 [103005-d3](#)

Revised:

HOT-MIX ASPHALT MIXTURE IL-19.0FG

Remarks Concerning Usage:

USE AS DIRECTED BY BUREAU OF MATERIALS

Category: HOT-MIX ASPHALT

Status: JOB-SPECIFIC USE ONLY

Effective: 12/1/2009 [HMA IL-19 0 FG](#)

Revised: 10/12/2011

HOT-MIX ASPHALT MIXTURE IL-9.5FG

Remarks Concerning Usage:

USE AS DIRECTED BY BUREAU OF MATERIALS

Category: HOT-MIX ASPHALT

Status: JOB-SPECIFIC USE ONLY

Effective: 7/1/2005 [HMA IL-9 5 FG](#)

Revised: 7/15/2013

HOT-MIX ASPHALT SHOULDERS, SPECIAL

Remarks Concerning Usage:

FOR USE AS WEARING SURFACE FOR SHOULDERS
SUBJECT TO EQUESTRIAN LOADINGS.

Category: HOT-MIX ASPHALT SHOULDERS

Status: JOB-SPECIFIC USE ONLY

Effective: 3/9/2001 [482C](#)

Revised: 1/1/2014

HOT-MIX ASPHALT SURFACE REMOVAL**Remarks Concerning Usage:**

USE ON ALL RURAL OR INTERSTATE JOBS WITH HMA SURFACE REMOVAL

Category: REMOVAL ITEMS

Status: JOB SPECIFIC USE ONLY

Effective: 10/1/2009 [440-3 mill](#)

Revised:

HOT-MIX ASPHALT SURFACE REMOVAL, SPECIAL**Remarks Concerning Usage:**

FOR DAYLIGHTING SIDEROADS AND ENTRANCES ON MILLING AND RESURFACING CONTRACTS.

Category: REMOVAL ITEMS

Status: JOB-SPECIFIC USE ONLY

Effective: 6/6/1995 [440H](#)

Revised: 1/1/2014

HOT-MIX ASPHALT SURFACE REMOVAL, VARIABLE DEPTH**Remarks Concerning Usage:**

USE ONLY WHEN ADVISED BY PROJECT ENGINEER.

Category: REMOVAL ITEMS

Status: JOB-SPECIFIC USE ONLY

Effective: 12/11/2000 [440-2MILL](#)

Revised: 1/1/2014

IL 19.0 BINDER DENSITY REQUIREMENT WHEN PLACING < 2.25"**Remarks Concerning Usage:**

THIS SPECIAL PROVISION IS NEEDED SINCE THE HOT-MIX ASPHALT SPECIAL PROVISION GIVES A MINIMUM LIFT THICKNESS OF 2.25" FOR IL 19.0 AND REQUIRES 93.0 - 96.0 % DENSITY.

93.0% DENSITY IS NOT PRACTICAL FOR THE THINNER INLAY THICKNESSES.

Category: HOT-MIX ASPHALT

Status: DISTRICT SPEC IN USE

Effective: 5/15/2006 [40616](#)

Revised: 1/1/2014

ILLINOIS ENVIRONMENTAL PROTECTION AGENCY NOTIFICATION FOR BRIDGE DEMOLITION (ASBESTOS PRESENT)**Remarks Concerning Usage:**

USE ON ALL JOBS IF WORKING ON STRUCTURE >20' SPAN, AND THERE IS KNOWN ASBESTOS.

Category: BRIDGES AND STRUCTURES

Status: APPROVED WITHOUT RESTRICTION

Effective: 3/29/2001 [107ASB2](#)

Revised: 1/1/2014

IMPACT ATTENUATORS**Remarks Concerning Usage:**

USE IN ALL CONTRACTS REQUIRING IMPACT ATTENUATORS. USE IN PLACE OF IMPACT ATTENUATORS (BDE).

SPECIFIES CONCRETE ATTENUATOR PADS

Category: TRAFFIC CONTROL AND PROTECTION

Status: APPROVED WITHOUT RESTRICTION

Effective: 11/1/2008 [80109a](#)

Revised: 1/1/2014

INDIVIDUAL DENSITY SITES**Remarks Concerning Usage:**

USE ON ALL HMA PROJECT EXCEPT BRIDGES WITH <1000 TONS HMA.

Category: HOT MIX ASPHALT

Status: DISTRICT SPEC IN USE

Effective: 9/1/2007 [103005\(a\)\(4\)](#)

Revised: 7/15/2013

LONGITUDINAL JOINT DENSITY (D5-FG)

Remarks Concerning Usage:
USE ON ALL HMA RESURFACING CONTRACTS.

Category: HOT MIX ASPHALT
Status: DISTRICT SPEC IN USE
Effective: 1/1/2010 [103005\(d\)\(3\)-2](#)
Revised: 7/15/2013

NEW DOMESTIC SANITARY SERVICE

Remarks Concerning Usage:
USE WHEN NEEDED. ESTABLISHES PAY ITEMS.

Category: STORM & SANITARY SEWERS & APPURTENANCES
Status: JOB-SPECIFIC USE ONLY
Effective: 9/11/1990 [Z00059](#)
Revised: 1/1/2014

NON-VERTICAL IMPACT ROLLER FOR HOT-MIX ASPHALT

Remarks Concerning Usage:
USE ON ALL CONTRACTS WITH HMA.

Category: HOT-MIX ASPHALT
Status: DISTRICT SPEC IN USE
Effective: 10/13/2011 [NON-VERTICAL ROLLER](#)
Revised:

OPENING LANES FOR HOME FOOTBALL PERIODS

Remarks Concerning Usage:
CONFER WITH PROJECT ENGINEER FOR JOBS IN CHAMPAIGN OR ADJACENT COUNTIES.

Category: TRAFFIC CONTROL
Status: JOB-SPECIFIC USE ONLY
Effective: 9/10/2001 [10709A](#)
Revised: 1/1/2014

OPENING PARAGRAPH

Remarks Concerning Usage:
USE ON ALL JOBS.

Category: CONTRACT DOCUMENTS
Status: SPRINGFIELD SPEC IN USE
Effective: 1/1/2002 [OPENING PARAGRAPH 2012](#)
Revised: 1/1/2012

PAVEMENT GRINDING

Remarks Concerning Usage:
USE IF NEEDED. ESTABLISHES PAY ITEM.

Category: MISCELLANEOUS
REMOVAL ITEMS
Status: JOB-SPECIFIC USE ONLY
Effective: 9/11/1990 [Z00373](#)
Revised: 1/1/2014

PAVEMENT GROOVING

Remarks Concerning Usage:
USE IF NEEDED. ESTABLISHES PAY ITEM.

Category: MISCELLANEOUS
Status: JOB-SPECIFIC USE ONLY
Effective: 9/1/2006 [Z0373A](#)
Revised: 1/1/2014

PAVEMENT MARKING

Category: TRAFFIC CONTROL
Status: JOB-SPECIFIC USE ONLY

Remarks Concerning Usage:

USE WHERE PAVEMENTS ARE BUILT WITHOUT TRAFFIC ON THEM.
REQUIRES STRIPING PRIOR TO OPENING THE NEW SECTION.

Effective: 9/11/1990 [101D](#)

Revised: 1/1/2014

PAVEMENT MARKINGS**Remarks Concerning Usage:**

USE ON THE ROUT AND SEAL CONTRACTS.

Category: PAVEMENT STRIPING

Status: APPROVED WITHOUT RESTRICTION

Effective: 1/17/2006 [101E](#)

Revised: 1/1/2014

PAVEMENT PATCHING - CLASS D AND PARTIAL DEPTH**Remarks Concerning Usage:**

SPECIFIES MINIMUM AND MAXIMUM ALLOWABLE LIFT THICKNESSES

Category: PATCHING

Status: DISTRICT SPEC IN USE

Effective: 4/1/2012 [442.08](#)

Revised: 1/1/2014

PAVEMENT SENSOR REMOVAL AND REPLACEMENT**Remarks Concerning Usage:**

CURRENT SENSOR LOCATIONS ARE I-74 AT SALT FORK BRIDGE, VERMILION COUNTY; I-57 & US 45 AT PESOTUM, CHAMPAIGN COUNTY; US 36 AT HEYWORTH. SHOW LOCATION IN PLANS. CONTACT OPERATIONS TECHNICIAN AT 466-7294 PRIOR TO USE.

Category: CONTRACT DOCUMENTS
ELECTRICAL

Status: JOB-SPECIFIC USE ONLY

Effective: 7/10/2000 [10905](#)

Revised: 1/1/2014

PPF QUALITY LEVEL ANALYSIS (HMAFG D5)**Remarks Concerning Usage:**

USE ON CONTRACTS THAT SPECIFY PFP AND 19.0FG MIX.

Category: HOT-MIX ASPHALT

Status: JOB-SPECIFIC USE ONLY

Effective: 6/29/2011 [HMA FG](#)

Revised:

PIPE UNDERDRAIN, 4" (100 mm)**Remarks Concerning Usage:**

USE ON PROJECTS THAT NEW UNDERDRAINS WILL BE INSTALLED ON.

Category: PIPE DRAINS AND UNDERDRAINS

Status: JOB-SPECIFIC USE ONLY

Effective: 9/1/2006 [601B](#)

Revised: 1/1/2014

PIPE UNDERDRAINS 4" (100 mm) (SPECIAL)**Remarks Concerning Usage:**

USE FOR OUTLETS OF NEW UNDERDRAIN INSTALLATIONS ALONG THE EDGE OF PAVEMENT WITH HOT-MIX ASPHALT SHOULDERS.

Category: PIPE DRAINS & UNDERDRAINS

Status: JOB-SPECIFIC USE ONLY

Effective: 2/22/1999 [601](#)

Revised: 6/21/2013

PNEUMATIC-TIRED ROLLER FOR HOT-MIX ASPHALT**Remarks Concerning Usage:**

USE WHEN CONTRACT INCLUDES HOT-MIX ASPHALT PAY ITEMS.

Category: HOT-MIX ASPHALT

Status: JOB-SPECIFIC USE ONLY

Effective: 10/1/1998 [406](#)

Revised: 9/1/2006

POROUS GRANULAR BACKFILL

Remarks Concerning Usage:
USE FOR BACKFILLING NEW AR PIPE CULVERTS.

Category: AGGREGATE
EARTHWORK
Status: JOB-SPECIFIC USE ONLY

Effective: 7/7/1998 [209](#)

Revised: 3/14/2008

POROUS GRANULAR EMBANKMENT

Remarks Concerning Usage:
USE FOR BACKFILLING NEW A.R. BOX CULVERTS

Category: AGGREGATE
EARTHWORK
Status: JOB-SPECIFIC USE ONLY

Effective: 8/11/2009 [207](#)

Revised:

RAISED REFLECTIVE PAVEMENT MARKER REMOVAL

Remarks Concerning Usage:
REQUIRES COMPLETE REMOVAL OF MARKERS, AND REQUIRES
FILLING HOLES PRIOR TO MILLING IN MOST CASES.

Category: REMOVAL ITEMS
PAVEMENT MARKINGS
Status: DISTRICT SPEC IN USE

Effective: 10/22/1997 [783](#)

Revised: 1/1/2014

RESETTING OF SECTION CORNERS

Remarks Concerning Usage:
USE ON PROJECTS THAT HAVE SECTION CORNERS THAT WILL BE DISTURBED
DURING CONSTRUCTION.

Category: SURVEY MARKERS
Status: JOB SPECIFIC USE ONLY

Effective: 1/17/2006 [668](#)

Revised: 1/1/2014

RIPRAP, SPECIAL

Remarks Concerning Usage:
DISCUSS WITH THE HYDRAULICS UNIT BEFORE USING ON A PROJECT.

Category: RIPRAP
Status: JOB SPECIFIC USE ONLY

Effective: 11/1/1997 [281](#)

Revised: 1/1/2014

ROUTING DEBRIS CLEAN UP

Remarks Concerning Usage:
USE ON THE ROUT AND SEAL CONTRACTS.

Category: MISCELLANEOUS
Status: APPROVED WITHOUT
RESTRICTION

Effective: 1/17/2006 [451](#)

Revised: 1/1/2014

SEEDING

Remarks Concerning Usage:
USE WHEN EARTH SLOPES ARE DISTURBED AS A RESULT OF WIDENING OR
SHOULDER OPERATIONS. USE ONLY WHEN SEEDING LIMITS ARE SHOWN ON
TYPICAL CROSS SECTIONS.
SPECIFIES USING CLASS 2 SEEDING AND MULCH METHOD 2.

Category: EROSION CONTROL
Status: JOB SPECIFIC USE ONLY

Effective: 9/11/1990 [250](#)

Revised: 1/1/2014

SEEDING, AND EROSION CONTROL BLANKET, AT CONCRETE HEAD WALLS FOR PIPE DRAINS

Remarks Concerning Usage:

LUMPS EXCELSIOR BLANKET AND SEEDING INTO THE EXCELSIOR BLANKET PAY ITEM.

Category: PIPE DRAINS & UNDERDRAINS
EROSION CONTROL

Status: OK TO USE PENDING REVIEW

Effective: 9/11/1990 [251](#)

Revised: 1/1/2014

SEEDING, CLASS 4A

Remarks Concerning Usage:

DELETES PRAIRIE DROPSEED. IF ANY QUESTION, CONTACT JIM ALWILL @ 309-671-4484.

Category: EROSION CONTROL

Status: OK TO USE PENDING REVIEW

Effective: 9/11/1990 [250A](#)

Revised: 1/1/2014

SPEED INDICATOR SIGNS

Remarks Concerning Usage:

DISCUSS WITH PROJECT ENGINEER AND TRAFFIC CONTROL SUPERVISOR BEFORE USING.

Category: TRAFFIC CONTROL

Status: JOB-SPECIFIC USE ONLY

Effective: 4/1/2009 [101sidu](#)

Revised: 1/1/2014

STAGE CONSTRUCTED ACROSS ROAD DRAINAGE STRUCTURES

Remarks Concerning Usage:

INCLUDE IN THE TRAFFIC CONTROL PLAN.

Category: TRAFFIC CONTROL

Status: JOB-SPECIFIC USE ONLY

Effective: 9/11/1990 [442A](#)

Revised: 1/1/2014

STAGE CONSTRUCTION TIME RESTRICTION

Remarks Concerning Usage:

TYPICAL USE IS FOR BRIDGE WORK LET AT A TIME WHEN IT CAN'T BE COMPLETED IN THE CURRENT CONSTRUCTION SEASON.

Category: TRAFFIC CONTROL AND PROTECTION

Status: JOB-SPECIFIC USE ONLY

Effective: 10/22/1998 [101Y](#)

Revised: 1/1/2014

STATUS OF UTILITIES

Remarks Concerning Usage:

PLACE IN THE SPECIAL PROVISIONS.

USE ON ALL CONTRACTS THAT WILL REQUIRE DIGGING. DISCUSS WITH DAN MAGEE.

Category: UTILITIES

Status: APPROVED WITHOUT RESTRICTION

Effective: 1/17/2006 [ZZZ](#)

Revised: 9/1/2006

STATUS OF UTILITIES

Remarks Concerning Usage:

PLACE IN THE SPECIAL PROVISIONS.

USE ON PROJECTS THAT HAVE NO DIGGING INVOLVED.

Category: UTILITIES

Status: APPROVED WITHOUT RESTRICTION

Effective: 1/17/2006 [ZZZ1](#)

Revised: 7/26/2007

STATUS OF UTILITIES**Remarks Concerning Usage:**

PLACE IN THE SPECIAL PROVISIONS.
USE ON THE BRIDGE PAINTING PROJECTS.

Category: UTILITIES**Status:** APPROVED WITHOUT RESTRICTION**Effective:** 1/17/2006 [ZZZZ](#)**Revised:** 7/26/2007

STORM SEWER WATERMAIN AND STORM SEWER, RUBBER GASKET, CLASS A**Remarks Concerning Usage:**

USE WHEN HORIZONTAL AND/OR VERTICAL SEPARATION
OF WATER AND SEWER CANNOT BE MET.

Category: STORM & SANITARY SEWERS & APPURTENANCES**Status:** JOB-SPECIFIC USE ONLY**Effective:** 8/3/1999 [550A](#)**Revised:** 1/1/2014

STORM WATER POLLUTION PREVENTION PLAN**Remarks Concerning Usage:**

USE ON ALL JOBS DISTURBING MORE THAN 1 ACRE.
THE CURRENT FORM CAN BE FOUND ON THE FORMS MANAGEMENT PAGE. THE FORM
NUMBER IS BDE 2342.

Category: EROSION CONTROL**Status:** SPRINGFIELD SPEC IN USE**Effective:** 1/1/1992**Revised:** 1/28/2011

STRINGLINE**Remarks Concerning Usage:**

CLARIFIES THAT A STRINGLINE IS REQUIRED FOR
ESTABLISHING PROFILE AND THAT IT'S NOT A PAY ITEM.

Category: CONSTRUCTION METHODS**Status:** JOB-SPECIFIC USE ONLY**Effective:** 11/27/1991 [440D](#)**Revised:** 8/1/2012

TEMPORARY DRAINAGE INTO PROPOSED DRAINAGE STRUCTURES**Remarks Concerning Usage:**

USE WHEN PLACING NEW CURB AND GUTTER WITH INLETS PRIOR
TO RESURFACING.

Category: STORM & SANITARY SEWERS & APPURTENANCES**Status:** APPROVED WITHOUT RESTRICTION**Effective:** 9/11/1990 [602A](#)**Revised:** 1/1/2014

TEMPORARY TRAFFIC CONTROL DEVICE DEPLOYMENT AND REMOVAL**Remarks Concerning Usage:**

USE ON HIGH ADT INTERSTATE AND BUSINESS LOOP MULTILANE ROADWAYS

Category: TRAFFIC CONTROL**Status:** JOB-SPECIFIC USE ONLY**Effective:** 1/1/2014 [701G](#)**Revised:**

TRAFFIC CONTROL & PROTECTION DEVICES (ROAD & SIDEROAD/STREET CLOSURES)**Remarks Concerning Usage:**

PUT INTO THE TRAFFIC CONTROL PLAN. USE THE CADD DETAIL TITLED "TRAFFIC
CONTROL AND PROTECTION DEVICES (ROAD & SIDEROAD/STREET CLOSURES)" IN
CONJUNCTION WITH THIS SPECIAL PROVISION.

Category: TRAFFIC CONTROL**Status:** JOB-SPECIFIC USE ONLY**Effective:** 9/11/1990 [101L](#)**Revised:** 1/1/2014

TRAFFIC CONTROL AND PROTECTION, STANDARD 701201 **Category:** TRAFFIC CONTROL
Status: JOB-SPECIFIC USE ONLY
Remarks Concerning Usage:
 USE WHEN 701201 WILL BE USED FOR PATCHING.
Effective: 2/11/1999 [101Z](#)
Revised: 4/1/2009

TRAFFIC CONTROL AND PROTECTION, STANDARD 701316 AND 701321 **Category:** TRAFFIC CONTROL AND PROTECTION
Status: DISTRICT SPEC IN USE
Remarks Concerning Usage:
 USE ON JOBS ALL JOBS WITH TC&P 701316 OR 701321.
 THE FAR LOOP IS 115 FEET BACK FROM THE STOP BAR.
Effective: 5/1/2002 [701C](#)
Revised: 3/1/2009

TRAFFIC CONTROL AND PROTECTION, STANDARD 701401 **Category:** TRAFFIC CONTROL
Status: JOB-SPECIFIC USE ONLY
Remarks Concerning Usage:
 USE FOR INTERSTATE AND SIMILAR INLAYS.
 USE WITH DISTRICT CADD DETAIL
Effective: 1/1/2014 [701H](#)
Revised:

TRAFFIC CONTROL AND PROTECTION, STANDARD 701402 **Category:** TRAFFIC CONTROL
Status: APPROVED WITHOUT RESTRICTION
Remarks Concerning Usage:
 INCLUDE IN THE TRAFFIC CONTROL PLAN.
Effective: 8/20/2004 [101G](#)
Revised: 4/1/2009

TRAFFIC CONTROL PLAN **Category:** TRAFFIC CONTROL
Status: APPROVED WITHOUT RESTRICTION
Remarks Concerning Usage:
 NEEDED ON ALL JOBS.
Effective: 9/11/1990 [101](#)
Revised: 1/1/2014

TRAFFIC CONTROL REMOVAL **Category:** TRAFFIC CONTROL
Status: DISTRICT SPEC IN USE
Remarks Concerning Usage:
 USE ON ALL MULTI-LANE RESURFACING PROJECTS.
Effective: 10/13/2011 [701E](#)
Revised:

TREATMENT OF EXISTING FIELD TILE SYSTEMS **Category:** STORM AND SANITARY SEWERS EARTHWORK
Status: APPROVED WITHOUT RESTRICTION
Remarks Concerning Usage:
 USE IN CONTRACTS WHEN FIELD TILE WORK IS ANTICIPATED.
 SEE PLAN PREP MEMORANDUM 60-10 .
Effective: 12/12/1998 [611](#)
Revised: 1/1/2014

UNEVEN LANES **Category:** TRAFFIC CONTROL AND PROTECTION

Remarks Concerning Usage:

PLACE IN THE TRAFFIC CONTROL PLAN AS REQUIRED BY BSE POLICY 4-8:
http://www.dot.state.il.us/IllinoisSHSP/pdf/20100827WZ_SupPolicySubpart_K.pdf

Status: JOB SPECIFIC USE ONLY**Effective:** 12/11/2009 [701D](#)**Revised:** 1/1/2014**VERTICAL ADJUSTMENT OF GUARDRAIL****Remarks Concerning Usage:**

ESTABLISHES PAY ITEM.

Category: GUARDRAIL**Status:** DISTRICT SPEC IN USE**Effective:** 11/3/2000 [633](#)**Revised:** 1/1/2014**VERTICAL CLEARANCE NOTIFICATION****Remarks Concerning Usage:**

USE ON JOBS WHICH HAVE STRUCTURES THAT HAVE LESS THAN 14 FEET 6 INCHES OF CLEARANCE.

PPM 70-02 HAS A LIST OF THE STRUCTURES. THE LIST HAS NOT BEEN RECENTLY UPDATED, SO SHOULD BE VERIFIED WITH BRIDGE & HYDRAULICS ENGINEER.

Category: BRIDGE CLEARANCE**Status:** JOB SPECIFIC USE ONLY**Effective:** 9/1/2006 [10709B](#)**Revised:** 1/1/2014**WATER MAIN REMOVAL****Remarks Concerning Usage:**

ESTABLISHES PAY ITEM.

Category: WATER MAIN & APPURTENANCES**Status:** JOB-SPECIFIC USE ONLY**Effective:** 9/11/1990 [561](#)**Revised:** 1/1/2014**WATER SERVICE LINE****Remarks Concerning Usage:**

ESTABLISHES PAY ITEM.

Category: WATER MAIN & APPURTENANCES**Status:** JOB-SPECIFIC USE ONLY**Effective:** 9/11/1990 [562](#)**Revised:** 1/1/2014**WIDTH RESTRICTION AND MAXIMUM WIDTH SIGNING****Remarks Concerning Usage:**

SEE DISTRICT DETAIL.

Category: TRAFFIC CONTROL**Status:** APPROVED WITHOUT RESTRICTION**Effective:** 12/7/1999 [101AA](#)**Revised:** 5/28/2008