



NOTICE TO CONTRACTORS BULLETIN

SPRINGFIELD, IL 62764

Thursday, October 13, 2016

BULLETIN NO.16-41

This bulletin is issued weekly by the Bureau of Local Roads and Streets. It may be viewed or downloaded via the Illinois Department of Transportation's Internet Website at www.dot.il.gov under Doing Business, Procurements, Construction Services, Bulletins tab, Contractor's Bulletin.

You may also receive it automatically once per week via email. Prepare an email to the IDOT subscription server by using the following email address and with the information as noted below:

1. Send blank e-mail message to: subscribe-dot-localroadsbulletin@lists.illinois.gov. (do not type anything into the subject or body area; just send as is)
2. A confirmation e-mail will be sent to you.
3. Click on the first link provided in the confirmation email you received.
4. You will now receive another email confirming that you have been subscribed.

PREQUALIFICATION OF BIDDERS. Proposals requiring prequalification of bidders will be issued only to those contractors who are qualified with the Department of Transportation. Prequalification forms may be secured from the Engineer of Construction, Administration Building, 2300 South Dirksen Parkway, Springfield, IL 62764.

PLANS AND PROPOSALS. Unless otherwise noted, plans and proposals may be obtained at the office of the local agency advertising for bids. The plans and proposals are each a call for bids containing all requirements governing the letting and performance of the particular contract including but not limited to any applicable requirements for the payment of prevailing rates of wages for labor are required by law. Any questions regarding individual plans and proposals should be directed to the local agency advertising for bids or the appropriate district office of local roads and streets.

PROPOSALS "NOT FOR BIDDING". Contract proposals marked "Not for Bidding" may be issued to companies furnishing materials and equipment to contractors.

NONDISCRIMINATION REQUIREMENTS. All bidders are hereby notified that the counties and municipalities having work, or procurement of materials advertised in the bulletin are required to affirmatively insure that the contract, entered into pursuant to this advertisement, will be awarded to the lowest responsible bidder without discrimination on the grounds of race, color, sex or national origin.

RESPONSIBLE BIDDER REQUIREMENTS. All bidders are hereby notified that any proposal requiring work to be performed by a contractor requires the prime and subcontractors to participate in an approved training program UNLESS FEDERAL FUNDS are involved. All bidders must complete BLR12325 (if required) and return with the bidders' proposals. If BLR12325 is not completed, the bid will not be read.

PART I

SEE PREVIOUS BULLETINS for details of the following improvements which are scheduled for letting on the dates below.

	County/city	Section #	Letting Date	Letting Time
District: 1				
	Lincolnshire	14-00021-01-LS	10/20/2016	12:00PM
	Riverdale	16-00133-00-RS	10/17/2016	10:00AM
District: 2				
	No Advertisements in previous bulletin			
District: 3				
	Kendall Co	16-00137-00-DR	10/28/2016	10:00AM
District: 4				
	No Advertisements in previous bulletin			
District: 5				
	No Advertisements in previous bulletin			
District: 6				
	Logan County	516-BCA	10/18/2016	10:00AM
District: 7				
	No Advertisements in previous bulletin			
District: 8				
	Granite City	16-00000-03-GM	10/17/2016	10:00am
	Smithton	16-00000-01-GM	10/18/2016	02:00pm
District: 9				
	No Advertisements in previous bulletin			

PART II

The following notices for lettings to be held at the Office of the SUPERINTENDENT OF HIGHWAYS, COUNTY ENGINEER, COUNTY CLERK OR MUNICIPAL CLERK at the times and places shown below are appearing in this bulletin for the first time. Plans and proposals for these improvements may be secured at the office of the awarding agency.

District: 1 Cook, DuPage, Kane, Lake, McHenry, Will

City/County	Section No.	Time	Date	Location of Letting
Braidwood	16-00015-00-RS ### ATC	03:00PM	10/24/2016	BRAIDWOOD

Description: CONSTR. VARIABLE WIDTH PAV'T. RESURFACING / WIDENING W/ HOT-MIX ASPH. SURF. COURSE, MIX D N50 (186 TON); INCL. 840 SQ. YD. HOT-MIX ASPH. SURF. REM. (SPECIAL); 147 TON LEVEL BINDER (MACHINE METHOD) N50; 2,905 POUND BIT. MAT'L (PRIME); 215 SQ. YD. AGG. BASE COURSE, TYPE B (10"); 86 CU. YD. EARTH EXCAVATION; 200 SQ. YD. HOT-MIX ASPH. PAV'T. PATCH, PARTIAL DEPTH (4"); 50 SQ. FT. PCC S/W REM.; 50 SQ. FT. PCC S/W (F"); ASSORTED DRAINAGE APPURTENANCES, ETC.

Project Location: VARIOUS

Proposal Available: M. GINGERICH GEREAX & ASSOCIATES (815)478-9680 (BRIAN HERTZ), 25620 SOUTH GOUGAR ROAD, MANHATTAN, IL 60442

Proposal Fee:

City/County	Section No.	Time	Date	Location of Letting
Richmond	16-00000-00-GM ### ATC	10:00AM	10/25/2016	HR Green, Inc. 420 N. Front Street McHenry, IL 60050

Description: CONTRACT NO. 1
CONST. PAV'T PATCHING (PARTIAL DEPTH), 2" (1130 SQ. YD.); INCL. 850 SQ. YD. PAV'T PATCHING (PARTIAL DEPTH), 4"; 10 EA. RAISED REFELCTIVE PAV'T MARKER REM.; 10 EA. RAISED REFLECTIVE PAV'T MARKERS; 2 EA. DRAINAGE & UTILITY STRUCTURES TO BE ADJUSTED; 1458 FT. THERMOPLASTIC PAV'T MARKING-LINE, 4"; 24 FT. THEERMOPLASTIC PAV'T MARKING-LINE, 6"; 1 L.SUM TRAFFIC CONTROL AND PROTECTIO, STD. 701501

Project Location: VARIOUS ROADS

Proposal Available: HR Green, Inc., 420 N. Front Street, McHenry, IL 60050 (Jeff Strzalka 815.759.8359)

Proposal Fee:

City/County	Section No.	Time	Date	Location of Letting
Riverside	14-00081-00-MS FA	02:00PM	10/27/2016	RIVERSIDE

Description: Provide removal of all the existing clay tiles, clay tile accessories and associated materials, down to the structural wood deck. Provide salvaging and staging of approximately 50% of the field clay tiles. Remove all existing gutters and downspouts. Remove and Replace any deteriorated wood decks. Repair outriggers. Repair and replace existing fascia and soffit, Paint all fascia and soffit. Provide new 20oz copper gutters and downspouts. Provide new 20oz. copper valley flashing Provide new 1x3 batten system. Provide material and installation of approximately 60% new field clay tiles and 40% of the salvaged clay field tiles. Provide new clay ridge tiles, new clay hip tiles and new clay finial tiles. Clay tile and clay tile accessories should match the existing tile type, profile and size.

Project Location: Village of Riverside Metra Station

Proposal Available: WWW.BHFXPLANROOM.COM FOR FREE DOWNLOAD
BHFX Warrenville - Contact: Matt Senska; (630) 393-0777; WARRENVILLE, IL 60555

Proposal Fee: \$0.00

No New Advertisements

City/County	Section No.	Time	Date	Location of Letting
O'Fallon	14-00069-00-PV ### ATC	08:30am	11/1/2016	City Clerk's Office 255 S. Lincoln Avenue O'Fallon, IL 62269

- Description:**
1. EARTH EXCAVATION - 5873 CU YD
 2. FURNISHED EXCAVATION - 9205 CU YD
 3. TRENCH BACKFILL - 2088 CU YD
 4. TOPSOIL FURNISH AND PLACE, 10" - 2038 SQ YD
 5. SEEDING, CLASS 2A - 2.5 ACRE
 6. NITROGEN FERTILIZER NUTRIENT - 219 POUND
 7. PHOSPHORUS FERTILIZER NUTRIENT - 219 POUND
 8. POTASSIUM FERTILIZER NUTRIENT - 219 POUND
 9. AGRICULTURAL GROUND LIMESTONE - 4.9 TON
 10. MULCH, METHOD 2 - 2.5 ACRE
 11. EROSION CONTROL BLANKET - 11405 SQ YD
 12. TEMPORARY EROSION CONTROL SEEDING - 240 POUND
 13. PERIMETER EROSION BARRIER - 4363 FOOT
 14. INLET AND PIPE PROTECTION - 2 EACH
 15. INLET FILTERS - 98 EACH
 16. SUBBASE GRANULAR MATERIAL, TYPE A 6" - 3418 SQ YD
 17. SUBBASE GRANULAR MATERIAL, TYPE A 12" - 16488 SQ YD
 18. AGGREGATE BASE COURSE, TYPE A 8" - 444 SQ YD
 19. BITUMINOUS MATERIALS (PRIME COAT) - 9324 POUND
 20. HOT-MIX ASPHALT SURFACE COURSE, MIX "C", N50 - 611 TON
 21. HOT-MIX ASPHALT PAVEMENT (FULL-DEPTH), 7" - 222 SQ YD
 22. PORTLAND CEMENT CONCRETE PAVEMENT 7" - 1231 SQ YD
 23. PORTLAND CEMENT CONCRETE PAVEMENT 8" - 408 SQ YD
 24. PORTLAND CEMENT CONCRETE PAVEMENT 9" - 10288 SQ YD
 25. PROTECTIVE COAT - 17078 SQ YD
 26. PORTLAND CEMENT CONCRETE DRIVEWAY PAVEMENT, 8 INCH - 410 SQ YD
 27. PORTLAND CEMENT CONCRETE SIDEWALK 4 INCH - 10781 SQ FT
 28. PORTLAND CEMENT CONCRETE SIDEWALK 8 INCH - 178 SQ FT
 29. DETECTABLE WARNINGS - 428 SQ FT
 30. PAVEMENT REMOVAL - 5185 SQ YD
 31. DRIVEWAY PAVEMENT REMOVAL - 700 SQ YD
 32. CURB REMOVAL - 397 FOOT
 33. COMBINATION CURB AND GUTTER REMOVAL - 5723 FOOT
 34. SIDEWALK REMOVAL - 7175 SQ FT
 35. MEDIAN REMOVAL - 798 SQ FT
 36. PRECAST CONCRETE BOX CULVERTS 4' X 2' - 48 FOOT
 37. PRECAST REINFORCED CONCRETE FLARED END SECTIONS 12" - 1 EACH
 38. PRECAST REINFORCED CONCRETE FLARED END SECTIONS 15" - 1 EACH
 39. PRECAST REINFORCED CONCRETE FLARED END SECTIONS 18" - 1 EACH
 40. REINFORCED CONCRETE PIPE TEE, 24" PIPE WITH 15" RISER - 1 EACH
 41. REINFORCED CONCRETE PIPE TEE, 72" PIPE WITH 24" RISER - 1 EACH
 42. CONCRETE COLLAR - 4.5 CU YD
 43. STORM SEWERS, CLASS A, TYPE 1 12" - 1683 FOOT
 44. STORM SEWERS, CLASS A, TYPE 1 15" - 676 FOOT
 45. STORM SEWERS, CLASS A, TYPE 1 18" - 142 FOOT
 46. STORM SEWERS, CLASS A, TYPE 1 24" - 110 FOOT
 47. STORM SEWERS, CLASS A, TYPE 1 30" - 832 FOOT
 48. STORM SEWERS, CLASS A, TYPE 1 36" - 228 FOOT
 49. STORM SEWERS, CLASS A, TYPE 2 12" - 317 FOOT
 50. STORM SEWERS, CLASS A, TYPE 2 8" - 210 FOOT
 51. STORM SEWERS, CLASS A, TYPE 2 36" - 29 FOOT
 52. STORM SEWER REMOVAL 12" - 997 FOOT
 53. STORM SEWER REMOVAL 15" - 433 FOOT
 54. STORM SEWER REMOVAL 18" - 53 FOOT
 55. STORM SEWER REMOVAL 24" - 1173 FOOT
 56. STORM SEWER REMOVAL 27" - 12 FOOT
 57. STORM SEWERS JACKED IN PLACE, 15" - 68 FOOT
 58. MANHOLES, TYPE A, 4'-DIAMETER, TYPE 1 FRAME, CLOSED LID - 6 EACH
 59. MANHOLES, TYPE A, 4'-DIAMETER, TYPE 3 FRAME AND GRATE - 1 EACH
 60. MANHOLES, TYPE A, 4'-DIAMETER, TYPE 3V FRAME AND GRATE - 20 EACH
 61. MANHOLES, TYPE A, 5'-DIAMETER, TYPE 3 FRAME AND GRATE - 3 EACH
 62. MANHOLES, TYPE A, 5'-DIAMETER, TYPE 3V FRAME AND GRATE - 8 EACH
 63. MANHOLES, TYPE A, 6'-DIAMETER, TYPE 1 FRAME, CLOSED LID - 2 EACH
 64. MANHOLES, TYPE A, 6'-DIAMETER, TYPE 3 FRAME AND GRATE - 2 EACH
 65. MANHOLES, TYPE A, 6'-DIAMETER, TYPE 8 GRATE - 1 EACH
 66. MANHOLES, TYPE A, 6'-DIAMETER, TYPE 3V FRAME AND GRATE - 2 EACH
 67. INLETS, TYPE A, TYPE 3 FRAME AND GRATE - 5 EACH
 68. INLETS, TYPE A, TYPE 8 GRATE - 2 EACH
 69. INLETS, TYPE B, TYPE 1 FRAME, CLOSED LID - 1 EACH

70. INLETS, TYPE B, TYPE 3 FRAME AND GRATE - 5 EACH
71. MANHOLES TO BE ADJUSTED - 1 EACH
72. INLETS TO BE ADJUSTED - 3 EACH
73. FRAMES AND LIDS, TYPE 5, CLOSED LID - 1 EACH
74. REMOVING MANHOLES - 24 EACH
75. REMOVING INLETS - 30 EACH
76. CONCRETE CURB, TYPE B - 254 FOOT
77. COMB CONC CURB & GUTTER, TY B-6.06 - 55.5 FOOT
78. COMB CONC CURB & GUTTER, TY B-6.24 - 5671 FOOT
79. COMB CONC CURB & GUTTER, TY B-6.24 (VARIABLE WIDTH GUTTER FLAG) - 44.5 FOOT
80. COMB CONC CURB & GUTTER, TY B-9.12 - 2012 FOOT
81. COMB CONC CURB & GUTTER, TY B-9.24 - 2012.5 FOOT
82. CONCRETE MEDIAN SURFACE, 4 INCH - 410 SQ FT
83. FURNISHING AND ERECTING RIGHT OF WAY MARKERS - 21 EACH
84. MOBILIZATION - 1 LSUM
85. SIGN PANEL - TYPE 1 - 227.5 SQ FT
86. SIGN PANEL - TYPE 2 - 73.5 SQ FT
87. REMOVE SIGN PANEL ASSEMBLY - TYPE A - 1 EACH
88. REMOVE SIGN PANEL - TYPE 1 - 71.25 SQ FT
89. RELOCATE SIGN PANEL - TYPE 1 - 29.5 SQ FT
90. RELOCATE SIGN PANEL - TYPE 2 - 46.5 SQ FT
91. TELESCOPING STEEL SIGN SUPPORT - 503 FOOT
92. BASE FOR TELESCOPING STEEL SIGN SUPPORT - 5 EACH
93. PAINT PAVEMENT MARKING - LETTERS AND SYMBOLS - 538 SQ FT
94. PAINT PAVEMENT MARKING - LINE 4" - 13354 FOOT
95. PAINT PAVEMENT MARKING - LINE 8" - 698 FOOT
96. PAINT PAVEMENT MARKING - LINE 12" - 2296 FOOT
97. PAINT PAVEMENT MARKING - LINE 24" - 534 FOOT
98. RAISED REFLECTIVE PAVEMENT MARKER - 201 EACH
99. CURB REFLECTORS - 188 EACH
100. LOCATING UNDERGROUND CABLE - 200 FOOT
101. SERVICE INSTALLATION, TYPE A - 1 EACH
102. UNDERGROUND CONDUIT, GALVANIZED STEEL, 2" DIA. - 38 FOOT
103. UNDERGROUND CONDUIT, GALVANIZED STEEL, 3" DIA. - 38 FOOT
104. UNDERGROUND CONDUIT, GALVANIZED STEEL, 5" DIA. - 62 FOOT
105. UNDERGROUND CONDUIT, PVC, 1" DIA. - 441 FOOT
106. UNDERGROUND CONDUIT, PVC, 1 1/4" DIA. - 193 FOOT
107. UNDERGROUND CONDUIT, PVC, 2" DIA. - 796 FOOT
108. UNDERGROUND CONDUIT, PVC, 2 1/2" DIA. - 13 FOOT
109. UNDERGROUND CONDUIT, PVC, 3" DIA. - 211 FOOT
110. UNDERGROUND CONDUIT, PVC, 4" DIA. - 286 FOOT
111. UNDERGROUND CONDUIT, PVC, 5" DIA. - 115 FOOT
112. HANDHOLE, PORTLAND CEMENT CONCRETE - 14 EACH
113. DOUBLE HANDHOLE, PORTLAND CEMENT CONCRETE - 2 EACH
114. FULL-ACTUATED CONTROLLER AND TYPE IV CABINET - 1 EACH
115. ELEC CABLE IN CONDUIT, SIGNAL NO. 14 2C - 3096 FOOT
116. ELEC CABLE IN CONDUIT, SIGNAL NO. 14 4C - 3207 FOOT
117. ELEC CABLE IN CONDUIT, SIGNAL NO. 14 5C - 7577 FOOT
118. ELEC CABLE IN CONDUIT, SIGNAL NO. 14 7C - 5921 FOOT
119. ELEC CABLE IN CONDUIT, LEAD-IN, NO. 14 1 PAIR - 11772 FOOT
120. ELEC CABLE IN CONDUIT, EQUIP GROUNDING CONDUCTOR, NO. 6 1C - 1840 FOOT
121. TRAFFIC SIGNAL POST, 8 FT. - 1 EACH
122. TRAFFIC SIGNAL POST, 15 FT. - 5 EACH
123. PEDESTRIAN PUSH-BUTTON POST, GALVANIZED STEEL, TYPE I - 3 EACH
124. PEDESTRIAN PUSH-BUTTON POST, GALVANIZED STEEL, TYPE II - 1 EACH
125. STEEL MAST ARM ASSEMBLY AND POLE, 30 FT. - 1 EACH
126. STEEL MAST ARM ASSEMBLY AND POLE, 48 FT. - 2 EACH
127. STEEL MAST ARM ASSEMBLY AND POLE, 54 FT. - 1 EACH
128. STEEL MAST ARM ASSEMBLY AND POLE, 55 FT. - 1 EACH
129. STEEL MAST ARM ASSEMBLY AND POLE, 60 FT. - 1 EACH
130. STEEL MAST ARM ASSEMBLY AND POLE, 70 FT. - 1 EACH
131. CONCRETE FOUNDATION, TYPE A - 18 FOOT
132. CONCRETE FOUNDATION, TYPE D - 3 FOOT
133. CONCRETE FOUNDATION, TYPE E 36-INCH DIAMETER - 67 FOOT
134. CONCRETE FOUNDATION, TYPE E 42-INCH DIAMETER - 46 FOOT
135. DRILL EXISTING FOUNDATION - 1 EACH
136. DRILL EXISTING HANDHOLE - 21 EACH
137. SIG HEAD, POLYCARBONATE, LED, 1-FACE, 3-SEC, BRACKET MOUNTED - 11 EACH
138. SIG HEAD, POLYCARBONATE, LED, 1-FACE, 3-SEC, MAST ARM MOUNTED - 14 EACH
139. SIG HEAD, POLYCARBONATE, LED, 1-FACE, 4-SEC, BRACKET MOUNTED - 2 EACH
140. SIG HEAD, POLYCARBONATE, LED, 1-FACE, 4-SEC, MAST ARM MOUNTED - 3 EACH
141. SIG HEAD, POLYCARBONATE, LED, 1-FACE, 5-SEC, BRACKET MOUNTED - 9 EACH
142. SIG HEAD, POLYCARBONATE, LED, 1-FACE, 5-SEC, MAST ARM MOUNTED - 7 EACH
143. PED SIG HEAD, POLYCARBONATE, LED, 1-FACE, BRACKET MOUNTED - 16 EACH
144. TRAFFIC SIGNAL BACKPLATE, FORMED PLASTIC - 19 EACH
145. INDUCTIVE LOOP DETECTOR - 1 EACH
146. DETECTOR LOOP, TYPE I - 6928 FOOT
147. LIGHT DETECTOR - 4 EACH
148. LIGHT DETECTOR AMPLIFIER - 1 EACH
149. PEDESTRIAN PUSH-BUTTON - 16 EACH

- 150. RELOCATE EXISTING SIGNAL HEAD - 1 EACH
- 151. RELOCATE EXIST EMERGENCY VEH PRIOR SYSTEM, DETECTOR UNIT - 2 EACH
- 152. MODIFY EXISTING CONTROLLER - 2 EACH
- 153. REMOVE ELECTRIC CABLE FROM CONDUIT - 5301 FOOT
- 154. REMOVE EXISTING TRAFFIC SIGNAL EQUIPMENT - 17 EACH
- 155. REMOVE EXISTING HANDHOLE - 4 EACH
- 156. REMOVE EXISTING CONCRETE FOUNDATION - 3 EACH
- 157. PROPOSED STORM SEWER CONNECTION TO EXISTING MANHOLE - 1 EACH
- 158. OUTLET SPECIAL - 1 EACH
- 159. EMERG VEH PRIORITY SYSTEM LINE SENSOR CABLE, NO. 20 3/C - 1031 FOOT
- 160. PLUG EXISTING STORM SEWERS - 7 CU YD
- 161. PAVEMENT MARKING REMOVAL - WATER BLASTING - 5378 SQ FT
- 162. FOLD DOWN BOLLARDS - 10 EACH
- 163. INLETS, TYPE A, TYPE 3V FRAME AND GRATE - 19 EACH
- 164. INLETS, TYPE B, TYPE 3V FRAME AND GRATE - 32 EACH
- 165. CONCRETE MEDIAN, TYPE SB (SPECIAL) - 2804 SQ FT
- 166. TRAFFIC CONTROL AND PROTECTION, (SPECIAL) - 1 LSUM
- 167. HANDHOLE TO BE ADJUSTED - 1 EACH
- 168. PAINT CURB - 441 FOOT
- 169. STORM SEWER (WATER MAIN REQUIREMENTS) 12 INCH - 173 FOOT
- 170. STORM SEWER (WATER MAIN REQUIREMENTS) 18 INCH - 43 FOOT
- 171. STORM SEWER (WATER MAIN REQUIREMENTS) 24 INCH - 97 FOOT

Project Location: North Greenmount Road from Regency Park Drive / Pierce Boulevard to West Highway 50 in the City of O'Fallon

Proposal Available: Office of:
 Director of Public Works
 255 South Lincoln Avenue
 O'Fallon, IL 62269

Proposal Fee:

City/County	Section No.	Time	Date	Location of Letting
St. Clair	16-00000-00-GM	04:00pm	10/24/2016	County Engineer 1415 North Belt West Belleville, IL 62226

Description: 1. 10,260 TON - Rock Salt (sodium chloride)

Project Location: various

Proposal Available: County Engineer
 1415 North Belt West
 Belleville, IL 62226

Proposal Fee:

No New Advertisements

PREQUALIFICATION OF BIDDERS REQUIRED
TBP TOWNSHIP BRIDGE PROGRAM
*** READVERTISEMENT
ATC APPRENTICESHIP TRAINING CERTIFICATION
FA FEDERAL AID FUNDING

PART III

Awarded Contracts

County	Agency	Section No.	Contractor	Award Amount	Date Approved
Municipality					
McHenry	Algonquin	13-00084-00-RS	Lorig Construction Co.	\$1,706,990.73	8/14/2016
Lake	Green Oaks	16-00013-00-PV	Peter Baker & Son, Co.	\$190,933.90	8/29/2016
Pike	Pittsfield	15-00034-00-PV	County Contractors, Inc.	\$541,940.00	5/19/2016
Cook	Skokie	16-00000-00-GM	Schroeder & Schroeder, Inc.	\$139,730.00	8/1/2016
Cook	Hometown	16-00000-00-GM	Davis Concrete Construction Co.	\$17,550.00	9/27/2016
Lake	Antioch	17-00000-00-GM	Peter Baker & Son Co.	\$857,187.04	7/28/2016
Will	Channahon	16-00024-00-RS	D Construction	\$278,821.06	9/29/2016