

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

JULY 31, 2020



Table of Contents

Table of Contents.....	2
General Requirements	4
A. SPECIALTY CATEGORY	5
Prequalification Categories	6
B. PREPARATION OF PLANS, SPECIAL PROVISIONS AND ESTIMATES	6
1. Highways	6
a. Freeways	6
b. Roads and Streets	6
2. Airports	6
a. Master Planning/Airport Layout Plans (ALP)	6
b. Design.....	7
c. Design: Complex Electrical	7
d. Construction Inspection.....	7
e. Construction Inspection: Complex Electrical.....	8
3. Structures	9
a. Highway Bridges	9
b. Railroad Bridges.....	11
c. Movable Bridges	11
d. Major Bridges.....	11
C. SPECIAL PLANS	12
1. Traffic Signals	12
2. Lighting.....	12
a. Typical	12
b. Complex.....	13
3. Pumping Stations.....	13
D. SPECIAL STUDIES.....	14
1. Location Drainage.....	14
2. Traffic Studies.....	14
3. Signal Coordination and Timing (SCAT)	15
4. Safety	15
5. Feasibility.....	15
E. LOCATION/DESIGN STUDIES	16
1. Rehabilitation	16
2. Reconstruction/Major Rehabilitation.....	16
3. New Construction/Major Reconstruction	17
F. HYDRAULIC REPORTS	17
1. Waterways.....	17
a. Typical	17
b. Complex.....	18
2. Pump Stations	18

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

G.	GEOTECHNICAL SERVICES	19
1.	Subsurface Explorations	19
2.	General Geotechnical Services.....	20
3.	Structure Geotechnical Reports (SGR).....	21
4.	Complex Geotechnical/Major Foundations.....	22
H.	ENVIRONMENTAL REPORTS	23
1.	Environmental Assessment (EA).....	23
2.	Environmental Impact Statements (EIS)	24
I.	TRANSPORTATION STUDIES	27
1.	Mass Transit	27
2.	Railway Engineering	27
3.	Railway Planning	27
J.	SPECIAL SERVICES	27
1.	Surveying.....	27
2.	Aerial Mapping/LiDAR.....	27
3.	Mobile LiDAR.....	28
4.	Electrical Engineering	28
5.	Mechanical Engineering.....	28
6.	Sanitary Engineering.....	28
7.	Architecture	28
8.	Landscape Architecture	28
9.	Hazardous Waste	29
a.	Simple	29
b.	Advance	32
10.	Asbestos Abatement Surveys	35
11.	Construction Inspection	36
12.	Quality Assurance Testing	36
13.	Subsurface Utility Engineering	38
14.	Public Involvement.....	39
15.	Project Controls	41

General Requirements

The Illinois Department of Transportation prequalifies engineering/architectural consultants in multiple transportation categories of service. This is accomplished by interested firms submitting a Statement of Experience and Financial Condition (SEFC) to the department through the Engineering and Prequalification System (EPAS). <http://www.idot.illinois.gov/doing-business/procurements/engineering-architectural-professional-services/index>

These descriptions and minimum requirements for prequalification supplement the SEFC and are to be used as a guide in determining areas of specialization for which firms may wish to apply for prequalification. The categories are located in the EPAS application. All categories require a questionnaire to be completed and the questionnaires are required to be completed to be considered for prequalification in the categories. All consultants, prime and/or subconsultants, must be prequalified in the category of work the firm is performing.

Most categories require the firm to be registered through Illinois Department of Financial and Professional Regulation (IDFPR). Consultant firms are required to be registered as a Professional Design Firm in the following disciplines, Professional Engineering, Structural Engineering, Land Surveying, and/or Architecture.

Where the minimum requirements indicate Illinois licensing or registration, that individual must be a full-time employee who has acted in a leadership role on pertinent projects. **A full-time employee is defined as one who works for a firm 35 or more hours/week, 52 weeks/year.** Part-time staff members, special consultants, subconsultants, committed or pledging individuals, or persons on retainers **cannot** be used to meet the minimum requirements for prequalification, except as allowed for Environmental Reports prequalification. The experience of these licensed or registered individuals must be relevant to the category of transportation work and the work must have been performed within the **last ten (10) years**.

Projects submitted for consideration must be complete. Ongoing projects and estimated completions dates for projects are not considered. Completion dates are for the specific category; for example, roads and streets projects are considered complete when the PS&E are done and the project is ready for bid. Location Design Report categories are complete when the Design Report has been prepared and the project is ready for the design phase.

Prequalification is based on firm experience and on individual experience. A firm can hire an individual with experience and if there is sufficient support staff, the firm can become prequalified in most categories. Each category is reviewed by IDOT experts in the specific categories and the firm's experience and the firm's staff experience is taken into consideration when prequalifying a firm. IDOT works with firms when prequalifying and may request additional information from the firm during the review process. The firm's support staff of engineers and/or technicians must have pertinent experience or training and be full-time. The lack of relevant experience or training of the support staff may result in denial of prequalification.

Firms must be specific in listing all experience, which qualifies them for prequalification in each category. At least one Principal Supervisory Personnel listed in the Statement of Experience and Financial Condition must have been in responsible charge of the firm's projects they are using for prequalification consideration. Details must be provided in the questionnaire for the specific categories in the Statement of Experience and Financial Condition.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

Firms requesting prequalification in any area of specialization, at the department's discretion, will be required to send documentation of their past work and/or give a presentation to the department outlining the experience and capabilities of current staff and how the staff would accomplish a project if selected. The department at its discretion may make on-site visits to the consultant's office to verify the information set forth in the SEFC document submitted by a firm.

A. SPECIALTY CATEGORY

The Engineering Prequalification Agreement System (EPAS) has a "Special Services - Specialty Firm" as one of the Prequalification Category choices when becoming prequalified.

This option is to be used for a select few specialties the department utilizes for our transportation projects. Examples of these categories are:

- (1) Value Engineering
- (2) Underwater Bridge Inspections
- (3) Bridge Painting Inspections, and
- (4) Steel Fabrication Inspections

Firms desiring to submit for a specialty category not listed above should first contact the department before submitting. Firms which submit for the specialty category and **do not** fall into the list above or who have not received prior approval will be **denied** qualification with the department. All other firms must submit using an established prequalification category as described within this document.

Prequalification Categories

The description of the work involved in the areas of specialization and the minimum requirements are as follows:

B. PREPARATION OF PLANS, SPECIAL PROVISIONS AND ESTIMATES

1. Highways

a. Freeways

Freeways consist of engineering services necessary for and the preparation of plans, special provisions, and estimate of cost for controlled access highways. Previous experience in the design of controlled access highways or satisfactory work in the design of "Roads and Streets" including complex geometric design details is required for a prequalification rating in this category. **Typical intersection improvement designs are not considered complex. Plan preparation of signage, Maintenance of Traffic Control, and Traffic Control Plans are not considered PS&E for Freeways projects.** Minimum personnel requirements are 2 full-time Illinois Licensed Professional Engineer with demonstrated experience and support staff.

b. Roads and Streets

Roads and Streets consists of engineering services necessary for and the preparation of plans, special provisions and estimate of cost for arterial and collector and local roads and streets. Previous experience in the design of "Roads and Streets" or related experiences such as the design of city streets or subdivision drives, etc., are a prerequisite for a rating in this category. Minimum personnel requirements are one full-time Illinois Licensed Professional Engineer with demonstrated experience and support staff. **Bike paths, sidewalks, ADA ramps, street-landscaping, entrances, and parking lots are not considered PS&E for roadway projects.**

2. Airports

Airports consist of engineering services and studies necessary for development of the air-side facilities of airports (runways, taxiways, aprons, lighting systems, etc.). Land-side facilities (roads, parking lots, terminal buildings, etc.) are not considered for prequalification in Airports. The year in which work was completed is required. Note that pre-qualification in the EA and/or EIS category under [H. ENVIRONMENTAL REPORTS](#) is required for any CATEX/EA/EIS work on airports as well.

The following phases are considered for Airports prequalification:

a. Master Planning/Airport Layout Plans (ALP)

(1) Master Planning – complete work done in accordance with current FAA Advisory Circulars, including complete Airport Layout Plans, forecasting, and required GIS survey work.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

- (2) Previous relevant airport work within the last 10 years from date of submittal is required for a prequalification rating in this category.
 - (3) Indicate personnel directly responsible for completion of planning work.
- b. Design
- (1) Airport Design (Plans and Specifications) - airfield pavements and simple electrical.
 - (2) Previous relevant air-side design work on Airports within the last 10 years from date of submittal is required for a prequalification rating in this category.
 - (3) Minimum personnel requirements are one Illinois Licensed Professional Engineer experienced in airfield pavement design or simple airfield electrical design.
 - (4) Per department Policy, a minimum requirement of one full-time employee with current training in “Fundamentals of Storm Water Pollution and Erosion and Sediment Control” and “Erosion and Sediment Control for Designers” classes. The currently trained individual(s) will be required to sign off on all plans with a Storm Water Pollution Prevention Plan (SWPPP). A current certification indicating evidence of successful completion of each course will be required to be submitted.
- c. Design: Complex Electrical
- (1) Airport Electrical Design (Plans and Specifications) – specialized NAVAIDs, vault work, complex electrical systems (as determined by the Division of Aeronautics).
 - (2) Previous relevant air-side electrical design work on Airports within the last 10 years from date of submittal is required for a prequalification rating in this category.
 - (3) Minimum personnel requirements are one Illinois Licensed Professional Electrical Engineer experienced in airport complex electrical design work.
- d. Construction Inspection
- (1) Airport Construction (Resident Engineering) - airfield pavements and simple electrical.
 - (2) Previous relevant air-side inspection work on Airports within the last 10 years from date of submittal is required for a prequalification rating in this category.
 - (3) Minimum personnel requirements are one Illinois Licensed Professional Engineer experienced in one or more phases of airport construction inspection work who is designated as the Project Manager.
 - (4) Project Manager/Engineer must have 3 years of experience in earthwork construction, per FAA requirements, to be supplied in submittal.
 - (5) In addition to the above-mentioned individuals, the consultant must also have one or more in-house full-time employees who have a working knowledge of IDOT documentation procedures for the inspection of work and a current certificate for the successful completion of the IDOT Construction Documentation of Contract Quantities. A current IDOT

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

Construction Documentation of Contract Quantities certificate must be included.

- (6) Per department Policy, a minimum requirement of one full-time employee with current training in “Fundamentals of Storm Water Pollution and Erosion and Sediment Control” and “Erosion and Sediment Control for Construction” classes. The currently trained individual(s) will be required to review the construction projects on a regular basis as directed by the department. A current certification indicating evidence of successful completion of each course will be required to be submitted.
 - (7) Minimum requirement of one full-time employee with successful completion of the IDOT QC/QA Level 2 Technician class for both HMA and PCC. A current certificate must be included in the submittal.
 - (8) Personnel performing materials field testing for PCC and HMA shall have successfully completed the appropriate QC/QA Technician classes. Personnel performing field testing for soils shall have completed IDOT class STTP S-33 for Soils Field Testing and Inspection.
- e. Construction Inspection: Complex Electrical
- (1) Airport Electrical Construction (Resident Engineering) - specialized NAVAIDs, vault work, complex electrical systems (as determined by the Division of Aeronautics).
 - (2) Previous relevant air-side electrical inspection work on Airports within the last 10 years from date of submittal is required for a prequalification rating in this category.
 - (3) Minimum personnel requirements are one Illinois Licensed Professional Electrical Engineer experienced in one or more phases of airport electrical construction inspection work.
 - (4) In addition to the above-mentioned individuals, the consultant must also have one or more in-house full-time employees who have a working knowledge of IDOT documentation procedures for the inspection of work and a current certificate for the successful completion of the IDOT Construction Documentation of Contract Quantities. A current IDOT Construction Documentation of Contract Quantities certificate must be included.

Local airport sponsors (airport authorities, counties, municipalities, etc.), in cooperation with the Division of Aeronautics, perform selection and assignment of consultants for airport work.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

3. Structures

Structures consist of engineering services required for the estimate of cost, planning, design, and preparation of plans and special provisions for bridges and structures. The firm must demonstrate staff experience in directly completing these functions for the requested category in order to become prequalified. Following are general descriptions of each structural category and the minimum requirements to prequalify in each.

a. Highway Bridges

i. Simple

Description: Multiple cell box culverts, single span bridges, deck beam bridges, deck scarification with overlay and minor repairs on continuous span structures.

The minimum requirements for prequalification in this category are:

- (1) An Illinois Licensed Structural Engineer with experience at the simple level
- (2) A support staff of one or more engineers with a degree in civil engineering and structural design experience

ii. Typical

Description: Basic single-unit continuous multiple span bridges classified as seismically “regular”* regardless of seismic zone and basic retaining walls.

The minimum requirements for prequalification in this category are:

- (1) An Illinois Licensed Structural Engineer with experience at the typical level.
- (2) A support staff of engineers with degrees in civil engineering and bridge design experience.
- (3) Adequate computer support equipment and software.
- (4) Firms qualifying for this category will be required to have staff experience in successfully completing the planning, design and contract plan development for a minimum of three bridge structures listed in this category; new continuous multi-span structure designs of various types are preferred.

iii. Advanced Typical

Description: Basic curved or flared bridges regardless of seismic zone, tall retaining walls requiring advanced analysis and non-standard support requirements and seismically “irregular”* structures which are otherwise structurally “typical”.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

The minimum requirements for prequalification in this category are:

- (1) Two (2) Illinois Licensed Structural Engineers; one SE with experience at the Advanced Typical level and the other SE with experience at the Typical level or higher.
- (2) A support staff of engineers with degrees in civil engineering and design experience at the typical level.
- (3) Adequate computer support equipment and software.
- (4) Firms qualifying for this category will be required to have staff experience in successfully completing the planning, design and contract plan development for structures in at least three of the following categories: curved steel girder structures, flared girder bridges, "irregular" continuous multiple span bridges requiring multi-mode analysis, tall or unusual retaining walls requiring advanced analysis and non-standard support requirements, spandrel bridges, truss bridges with spans over 100 feet and other bridge types with spans over 200 feet. In addition, experience with repair projects of complex structures involving significant plan preparation and detailing, preparation of documents for non-standard structural temporary works or means and methods of construction, structural policy development, plan review oversight, and forensic engineering may be substituted for one of the three structure types listed above.
- (5) In addition to d), firms will be required to demonstrate through either experience, training or education, the ability to perform a multi-mode seismic analysis.

* See the IDOT Bridge Manual section 3.15.3.2 "Seismic Design – Range of Applicability" for definitions of seismically "regular" and "irregular" bridges.

iv. Complex

Description: Regardless of seismic zone: complex curved girders, concrete and steel box girders, bridges or walls that require unique foundation treatment, expressway bridges with complex framing plans due to geometry requirements such as on/off ramps and the minor rehabilitation or repair of main structural components on major bridges.

The minimum requirements for prequalification in this category are:

- (1) Three (3) Illinois Licensed Structural Engineers with at least one SE at the complex level and the other two SE's at least at the Advanced Typical level.
- (2) An adequate support staff of engineers with degrees in civil engineering and design experience at the typical level.
- (3) Adequate computer support equipment and software.
Firms qualifying for this category will be required to have broad staff experience in successfully completing the design and contract plan development for three of the bridge structure types listed in this category.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

b. Railroad Bridges

Description: Temporary or permanent railroad bridges.

The minimum requirements for prequalification in this category are:

- (1) An Illinois Licensed Structural Engineer with railroad bridge experience and a support staff of engineers with civil engineering degrees;
- (2) Or an Illinois Licensed Structural Engineer with highway bridge experience at the “typical” level and a support staff of licensed professional civil engineers with railroad bridge experience.
- (3) Firms qualifying for this category will be required to have staff experience in successfully completing the design and contract plan development for three bridges listed in this category

c. Movable Bridges

Description: Bascule, swing and lift type bridges.

The minimum requirements for prequalification in this category are:

- (1) An Illinois Licensed Structural Engineer with movable bridge experience.
- (2) A support staff of engineers with movable bridge experience.
- (3) Adequate computer support equipment and software.
- (4) Firms qualifying for this category will be required to have staff experience in successfully completing the design and contract plan development for three bridges listed in this category.

d. Major Bridges

Description: The design, major rehabilitation, or forensic investigation of long span structures. Typically, these structures are founded in deep moving water, have spans greater than 350’, which require sophisticated analysis and design and knowledge of specialized construction techniques. Superstructure types include steel plate girder, steel box girder and orthotropic, tied arch, concrete box girder, suspension, continuous/cantilever truss and cable stay girders.

The minimum requirements for prequalification in this category are:

- (1) Prequalification in the HIGHWAY BRIDGES –COMPLEX Category
- (2) An Illinois Licensed Structural Engineer with “major bridge” experience and an adequate support staff of engineers with civil engineering degrees and “major bridge” experience in the structure type specified;
- (3) Adequate computer support equipment and software.

C. SPECIAL PLANS

1. Traffic Signals

This work consists of engineering services necessary for the design of traffic signal systems, including preparation of plans, special provisions and cost estimates. Previous experience in the design of traffic signals is required for a prequalification rating in this category. Minimum personnel required is one Illinois Licensed Professional Engineer who understands the state-of-the-art of modern traffic signal systems, including knowledge of traffic signal hardware, traffic control equipment, vehicle detectors, traffic signal control strategy, communication equipment, traffic signals interconnection, and the central signal system communication. Consultant statements should provide some indication as to the complexity of the firm's traffic signal or design experience.

2. Lighting

This work consists of engineering services required for the design of roadway lighting in accordance with the department's lighting policies and procedures as prescribed in Chapter 56 of the Bureau of Design and Environment Manual plus estimate of cost, planning, circuit design, and preparation of plans and special provisions for roadway lighting. The firm must have individual(s) with a minimum of five years of experience in directly completing projects in the categories listed below within the last 10 years and have a thorough knowledge of the department's lighting policies and procedures to become prequalified. The following are general descriptions of each lighting category and the minimum requirement for prequalification in each.

a. Typical

The firm's staff shall demonstrate experience designing lighting systems in the lighting project types of: Urban Arterial, Streetscape, Roundabout, Underpass, and Partial Interchange.

The minimum requirements for prequalification in Typical are:

- (1) An individual who is an Illinois Professional Engineer having a minimum of five years of experience designing lighting projects in the Typical category within the last 10 years. This individual shall be personally involved and directly responsible for the lighting system designs including: photometric analysis, design calculations, and final plan review. Additionally, it is recommended that this individual have a degree in Electrical Engineering from an accredited university, and lighting certified by the National Council on Qualification for Lighting Professions (NCQLP).
- (2) A support staff of engineers and designers having lighting design experience in the Typical category. At a minimum, the support staff shall include an Illinois Professional Engineer, or an Electrical Engineer having a degree from an accredited university, or a lighting designer having extensive experience designing projects in the Typical category.
- (3) Adequate computer support equipment and AGi32 lighting design software.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

- (4) Experience designing projects in at least three of the five lighting project types in the Typical category in the last 10 years.

b. Complex

The firm's staff shall demonstrate experience designing lighting systems in the lighting project types of: Continuous Freeway, Complete Interchange, Major Urban Arterial, Tunnel, and Major River Bridge. For this level, a Major River Bridge shall span a large, navigable river requiring roadway luminaires for vehicular travel, waterway obstruction luminaires, and when required, aviation obstruction luminaires.

The minimum requirements for prequalification in Complex are:

- (1) One individual who is an Illinois Professional Engineer having a minimum of five years of experience designing lighting projects in the Complex category within the last 10 years. This individual shall be personally involved and directly responsible for the lighting system designs including: photometric analysis, design calculations, and final plan review and have experience performing QC/QA for the same. Additionally, it is recommended that this individual have a degree in Electrical Engineering from an accredited university, and lighting certified by NCQLP.
- (2) A support staff of engineers and designers having experience in both the Typical and Complex categories. At a minimum the support staff shall include an Illinois Professional Engineer or an Electrical Engineer with a degree from an accredited university. This individual shall have experience designing projects in the Complex category and performing QC/QA for the same.
- (3) Adequate computer support equipment and AGi32 lighting design software.
- (4) The firm shall be prequalified in the Typical category and the firm's staff shall have experience designing projects in at least three of the five projects in the Complex category in the last 10 years.

3. Pumping Stations

This work consists of engineering services required for and the preparation of plans, special provisions, and estimate of cost of pumping stations including pumps, motors, controls, and buildings. Minimum personnel requirements are one or more Illinois Licensed Professional Engineers with training and experience in hydrology, hydraulics, electrical and mechanical engineering, an Illinois Licensed Structural Engineer and support staff. Firm must also be prequalified in the **Electrical Engineering** and **Mechanical Engineering** categories to obtain prequalification in this category.

D. SPECIAL STUDIES

This work consists of comprehensive studies of all factors and an evaluation of alternatives for the following:

1. Location Drainage

The scope of work includes hydrologic/hydraulic analyses for highway (roadway) drainage facilities. This work consists of the design of roadside ditches, smaller culverts, storm drains, inlet spacing, and storage pipes with restrictors. The design of storm drains includes hydraulic grade line analysis and inlet spacing. Detention basin design and energy dissipation design can also be included in project scope. Drainage facility design experience within a highway improvement setting is preferred, as opposed to property or site development projects.

The minimum requirements for prequalification in this category are:

- a) One full-time Illinois Licensed Professional Engineer with a minimum of five years of hydrologic and hydraulic computer modeling experience including:
 - Thorough knowledge of the department drainage policies and procedures;
 - Familiarity with the applicable permit rules of IDNR- OWR (Office of Water Resources) and other regulatory agencies; and
 - Knowledge of common Illinois drainage laws.
- b) One full-time staff engineer with a minimum of three years of hydrologic and hydraulic computer modeling experience.
- c) Drainage knowledge and/or experience which can be demonstrated by prior satisfactory work performance for IDOT or one or more engineering staff members who have completed training in NHI (National Highway Institute) or equivalent hydraulic courses in the following topics: highway hydrology, open channel flow, culvert hydraulics, storage routing/detention basin design, inlet spacing and storm drain design.
- d) A minimum of two staff engineers, in addition to b. above, with experience in highway hydraulics and hydrology are needed to accomplish the scope of work.
- e) Adequate computer support equipment and software to design and draft highway drainage facilities.

2. Traffic Studies

Traffic Studies consist of engineering services required to monitor and analyze the characteristics of motor vehicle or pedestrian traffic on and near roadways. This includes a wide variety of studies including, but is not limited to, the following:

- a) Traffic impact studies,
- b) On-site traffic circulation plans,
- c) Motor vehicle classification counts/studies,
- d) Speed studies,
- e) Traffic performance measures,
- f) MUTCD warrant studies,
- g) Signal timing plans,
- h) Signalization in conjunction with intersection design studies and accident studies,

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

- i) Human behavior/reaction studies,
- j) Vehicle emissions and fuel consumption studies, and
- k) Benefit-cost analyses of proposed signal improvements.

Note: Vehicle and pedestrian counts are considered part of data collection and do not include analysis or computations. Simply having performed **traffic counts** **WILL NOT** qualify a firm in Traffic Studies.

The minimum requirements for prequalification in this category are one full-time Illinois Licensed Professional Engineer with demonstrated traffic study work experience and support staff.

3. Signal Coordination and Timing (SCAT)

These studies include traffic data analysis and running and interpreting computer programs for determining optimum traffic signal timing to optimize traffic flow on arterial and street networks.

The minimum requirements for prequalification in this category are:

- a) One full-time Illinois Licensed Professional Engineer with demonstrated SCAT work experience,
- b) Electronic submittal of one SCAT report.
- c) Adequate support equipment and software, and
- d) Support staff.

SCAT work experience must include an understanding of traffic signal systems - hardware, control strategies and communications, experience with capacity and signal optimization software programs, and experience in traffic signal controller operation (including the ability to implement timings into controllers).

4. Safety

Safety Studies include a thorough analysis and evaluation of the cause(s) of accidents and a recommendation of appropriate/effective counter-measures to eliminate them or reduce their frequency and severity.

The minimum requirements for prequalification in this category are one full-time Illinois Licensed Professional Engineer with demonstrated experience in conducting Safety Studies, and support staff.

5. Feasibility

Feasibility Studies identify whether or not a proposal is worthy of additional detailed engineering studies. These studies include a general engineering study with an overview of potential environmental impacts. Projects must be transportation related. Value Engineering and estimates of cost for projects are not considered a feasibility study.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

The minimum requirements for prequalification in this category are one full-time Illinois Licensed Professional Engineer with demonstrated experience in conducting Feasibility Studies and support staff.

E. LOCATION/DESIGN STUDIES

Location/Design Studies involve the development, evaluation, and documentation of engineering alternatives, which when combined with the Environmental Report will result in the selection of the alignment and design features with the best combination of social, economic, environmental, and engineering effects. The Location/Design and Environmental Reports must be developed simultaneously to assure proper cross-coordination of findings and objectives. Each Location/Design Report must describe the alternates considered and the reasons for selecting the recommended alternate. The description should include essential elements such as appropriate design standards, traffic volumes, typical cross-section, access control features, vertical and horizontal alignment, right-of-way requirements, intersection designs, general structure requirements, and an estimate of cost. The report must include appropriate maps and drawings, a list of policy exceptions (and supporting reasons), a summary of views received from coordination and public involvement, and a description of the proposal's effects on adjacent roads and streets. The sub-categories listed below represent three different levels of complexity for Location/Design Reports.

1. Rehabilitation

This involves development and evaluation of alternatives appropriate for rehabilitation of existing highways. It will include more than minor work such as geometric changes, bridge improvements, pavement rehabilitation, safety investigations, drainage analysis, and establishment of safety clear zones. It may include minor right-of-way acquisition throughout the project length.

Minimum personnel requirements are one Illinois Licensed Professional Engineer and appropriate support staff. Geometric design, drainage, and public involvement expertise are required.

2. Reconstruction/Major Rehabilitation

This involves development and evaluation of alternatives appropriate for reconstruction or a major rehabilitation of an existing highway. A project will basically follow the existing alignment but may replace more than 50% of the existing pavement due to adjustments in horizontal or vertical alignment. It may include significant geometric changes, additional through lanes, bridge improvements or replacement, major intersection/interchange design, drainage analysis, and safety investigation. Public involvement will also be an integral part of the project. Significant amounts of additional right-of-way may be required.

Minimum personnel requirements are an Illinois Licensed Professional Engineer and staff with expertise in geometrics, hydraulics, public involvement, and report writing. The project manager must have an Illinois Professional Engineer's license and prior managerial experience with two or more rehabilitation projects or one Reconstruction/Major Rehabilitation project. Other appropriate support staff is also required.

3. New Construction/Major Reconstruction

This involves development and evaluation of alternatives appropriate for a new highway on new location and/or major reconstruction of an existing highway for which one alternate may be a totally new location. The entire range of expertise necessary to totally develop and design a new highway will be required. This will include establishment of horizontal and vertical alignment, intersection/interchange design, and development of a drainage plan including sizing structures. Other related expertise will be required including field surveying, public relations, estimating, earthwork calculations, and traffic capacity analysis. All new or significant amounts of additional right-of-way will be required throughout the project.

Minimum personnel requirements are two Illinois Licensed Professional Engineer and additional staff with expertise in geometrics, hydraulics, estimating, traffic analysis, public involvement, and report writing. The project manager must be an Illinois Licensed Professional Engineer and have prior managerial experience with two or more Reconstruction/Major Rehabilitation projects or one New Construction/Major Reconstruction project. Other appropriate support staff is also required.

F. HYDRAULIC REPORTS**1. Waterways****a. Typical**

The scope of work includes hydrologic and hydraulic analysis and modeling for culverts and bridges. Hydraulic modeling includes these flow conditions; multiple openings\ encroachments within a shared or adjacent floodplain, pressure flow and roadway overtopping. Design considerations include scour evaluations (bridges) and outlet protection (culverts). Sediment transport and stream stability design are also potential design elements.

The consultant must be able to implement hydrologic techniques including USGS regression equations and stream gage weighting analysis.

The minimum requirements for prequalification in this category are:

- (1) One full-time Illinois Licensed Professional Engineer with a minimum of five years of hydrologic and hydraulic computer modeling experience, including:
 - a) Thorough knowledge of IDOT drainage policies and procedures contained primarily within the IDOT Drainage Manual;
 - b) Familiarity with the applicable permit rules of IDNR- OWR (Office of Water Resources) and other involved regulatory agencies; and
 - c) Knowledge of common Illinois drainage laws.
- (2) At least one full-time staff engineer with a minimum of three years hydraulic computer modeling experience.
- (3) Hydraulic knowledge and/or experience which can be demonstrated by prior satisfactory work performance for IDOT, or one or more engineering staff members who have completed training in NHI (National Highway

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

Institute) or equivalent hydraulic courses in the following topics: highway hydrology, culvert design, stream stability and scour at highway bridges, and HEC-RAS.

- (4) A minimum of two staff engineers, in addition to (2), with experience in highway and structure hydraulics and hydrology are needed to accomplish the scope of work.
- (5) Adequate computer support equipment and software including, but not limited to, HEC-2, HEC RAS, and WSPRO.

b. Complex

Complex culverts and bridges include the items in the scope of work for 1.a. Typical, as well as the application of hydrologic modeling tools such as HEC-1, HEC-HMS, and TR-20. For those models, the consultant must also be able to utilize State Water Survey (SWS) Bulletin 70 rainfall data for the purposes of performing critical storm duration analysis and reservoir/storage routing analyses.

Hydraulic modeling experience that includes complex floodplain geometry, urbanized settings with sensitive flood receptors, and floodplain management studies such as FEMA revisions, flood optimization studies, or FEQ-based watershed studies is desirable. Experience with SMS utilizing the SRH-2D model is also desirable. The specialty questionnaire should clearly demonstrate a level of project complexity within the firm's experience.

In addition to the minimum requirements above in 1.a., the consultant must have the computer support equipment to implement the hydrologic techniques of HEC-1, HEC-HMS, and TR-20. There should be at least one staff member who has completed NHI training (or equivalent) in HEC-1, HEC-HMS, TR-20.

2. Pump Stations

The scope of work includes hydrologic/hydraulic analysis for a highway storm water pump station as described in the IDOT Drainage Manual. The work includes developing an inflow hydrograph to the station in conjunction with stage\storage and stage outflow data to route the design event through the pump station for existing and proposed conditions. The project typically includes assessing the existing storm drain collection system, hydraulic gradeline and design\analysis needed to upgrade the system to acceptable IDOT policy standards. Head losses, reservoir\storage routing, inlet spacing, weir\orifice pipe flow and energy gradeline determinations are typically involved. The questionnaire should demonstrate some experience and familiarity with the hydraulic design of highway storm water pumping stations in an urban setting.

The consultant must be able to utilize SWS Bulletin 70 rainfall data for the purposes of performing critical storm duration analysis and reservoir \ storage routing analyses. The consultant must implement hydrologic models such as HEC-1, HMS or TR-20 to develop inflow hydrographs. Experience with a version of SWMM modeling package is desirable.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

The minimum requirements for prequalification in this category are:

- (1) One full-time Illinois Licensed Professional Engineer with a minimum of five years hydrologic and hydraulic computer modeling experience, including:
 - a) Thorough knowledge of IDOT drainage policies and procedures contained primarily within the IDOT Drainage Manual.
 - b) Knowledge of common Illinois drainage laws.
- (2) At least one full-time staff engineer with a minimum of three years of hydrologic computer modeling experience.
- (3) Hydraulic knowledge and/or experience which can be demonstrated by prior satisfactory work performance for IDOT or one or more engineering staff members who have completed training in NHI (National Highway Institute) or equivalent hydrology/hydraulic courses in the following topics: urban hydrology (including HEC-1, HEC-HMS and TR-20), storage routing/detention basin design, inlet spacing and storm drain design, and pump station design.
- (4) A minimum of two staff engineers, in addition to b. above, with experience in highway hydraulics and hydrology are needed to accomplish the scope of work.
- (5) Adequate computer support equipment and software including, but not limited to, HEC-1, HEC HMS, TR-20.

G. GEOTECHNICAL SERVICES

1. Subsurface Explorations

Subsurface Explorations consists of engineering services necessary for obtaining subsurface geotechnical data to be utilized in geotechnical analyses and development of geotechnical reports. This typically includes coordination with the Geotechnical Engineer responsible for the geotechnical report or design, assisting in initial site/project reconnaissance, assisting in development of subsurface exploration plans, conducting subsurface explorations, laboratory testing of soil and rock, and reporting of the field explorations and laboratory test results.

Minimum personnel requirements are 1 Geotechnical Lead, 1 Field Drilling Supervisor, 1 Laboratory Supervisor, and support staff.

- The Geotechnical Lead shall be a full-time Illinois Licensed Professional Engineer with a minimum of five years of demonstrated experience in managing the efforts of staff and subcontractors, ensuring accuracy of geotechnical data, timely completion of services, performing the appropriate analysis, necessary interpretation and validation of soil and rock testing data, and determining the engineering properties of various subsurface materials using sound soil/rock mechanics. The firm's Geotechnical Lead shall also be familiar with IDOT's exploration and testing requirements, as set-forth in IDOT's Geotechnical Manual.
- The Field Drilling Supervisor must have a geology or geotechnical background and a minimum of three years of relevant experience in subsurface explorations/operations including split-spoon sampling, Standard Penetration and Rimac testing, Shelby tube soil sampling, rock coring, sample transportation, as well as soils and rock identification. The Field Drilling Supervisor is responsible for on-site drilling operations, describing/logging the soil/rock

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

encountered, overseeing field testing and coordinating with the firm's Geotechnical Lead.

The Field Drilling Supervisor and the Laboratory Supervisor may be the Geotechnical Lead if that individual meets the background and experience requirements.

- The Laboratory Supervisor shall have a minimum of three years of experience in geotechnical laboratory testing procedures.

The firm is expected to employ sufficient geotechnical support staff, who may be engineers, geologists, or technicians, to assist the Geotechnical Lead on office and field work involved in developing and providing the project deliverables. It is expected that the firm will provide the project experience and specific geotechnical work completed by the individual Geotechnical Lead(s), Field Drilling Supervisor, Laboratory Supervisor, and geotechnical staff.

The firm shall demonstrate knowledge in subsurface investigations, drilling, sampling and testing conducted according to AASHTO/equivalent ASTM standard methods, or Illinois modified procedures as set-forth in IDOT's Geotechnical Manual and the Manual of Test Procedures for Materials.

The firm shall have sufficient facilities, equipment, and software to perform this work. If the firm is not also prequalified in at least one of the **General Geotechnical Services, Structure Geotechnical Reports (SGR)** or **Complex Geotechnical/Major Foundations** categories, then the firm shall own at least one of the following: 1) its own laboratory or 2) drilling equipment. Laboratory and drilling equipment shall meet the requirements in the following paragraphs.

The firm must own or subcontract the necessary soils and rock sampling equipment as well as sufficient support equipment to conduct subsurface drilling and obtain either split-spoon or Shelby tube samples. Drill rig(s) must be equipped with an automatic SPT hammer, which has been energy tested (ASTM D 4633) within the past five years, and the firm must provide documentation of the tested hammer energy and date for each drill rig. It is desirable for the firm to have additional geotechnical field testing capabilities beyond the routine exploration equipment, such as pressure meters, vane shear, cone penetrometer testing (CPT) rigs, geophysical, and others.

The firm shall either own its own laboratory or subcontract with an independent testing facility with lab personnel proficient in the portions of the IDOT Geotechnical Manual dealing with laboratory testing. The firm's main/satellite or subcontractor's laboratory must have recent inspection results from AASHTO resource [formerly known as AASHTO Materials Reference Laboratory (AMRL)], for AASHTO test standards R 58, T 88, T 89, T 90, T 99, T 180, T 208, T 216, T 265, T 296, and T 297 (as a minimum) indicating compliance.

2. General Geotechnical Services

General Geotechnical Services consists of engineering services for geotechnical work typically pertaining to roadway widening or new alignments, pavements,

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

earthwork, rock cuts, small culverts, small retaining walls, or other structures not requiring a Structure Geotechnical Report. This work generally includes coordination with the district and/or prime consultant, project/site reconnaissance, coordinating subsurface explorations and laboratory testing, geotechnical analyses, formulating recommendations, and preparing roadway or other geotechnical reports.

Minimum personnel requirements are 1 full-time Illinois Licensed Professional Engineer as the Geotechnical Lead and support staff. The Geotechnical Lead shall have demonstrated experience in projects dealing with geotechnical issues on roadway transportation projects described above. This individual must be familiar with IDOT's Geotechnical Manual, Subgrade Stability Manual, IDOT acceptable practices for subsurface treatments, and shall have prepared at least three geotechnical reports for federal, state or local transportation projects. These projects must demonstrate sound experience regarding evaluations and recommendations for geotechnical aspects of transportation such as subgrade treatments, embankments, slope stability, settlement, subsurface ground improvement, foundation design parameters, construction concerns, and feasibility of roadway alignment.

The firm is expected to employ sufficient geotechnical support staff, who may be engineers, geologists, or technicians, to assist the Geotechnical Lead on office and field work involved in developing and providing the project deliverables. It is expected that the firm will provide the project experience and specific geotechnical work completed by the individual Geotechnical Lead(s) and geotechnical staff. It is not required; however, it is desirable that the firm have geotechnical project experience beyond the projects listed under individual staff experience. Examples of such projects could include projects, which used staff no longer with the firm, or have moved into upper management or other positions. Including such projects in the firm experience demonstrates a history of providing similar geotechnical services to clients.

The firm shall also have sufficient facilities, equipment, and software to perform this work.

3. Structure Geotechnical Reports (SGR)

This work consists of engineering services for developing geotechnical design parameters and recommendations for roadway transportation structures requiring a Structure Geotechnical Report. This generally includes coordination with the district and/or prime consultant, project/site reconnaissance, coordinating subsurface explorations and laboratory testing, performing analyses, formulating recommendations, and report preparation. Geotechnical recommendations for this work are typically developed for the design of structure foundations, bridge cone embankment, earth retention systems, noise abatement wall foundations, box culverts, and three-sided structures.

Minimum personnel requirements are 1 full-time Illinois Licensed Professional Engineer or Structural Engineer as the Geotechnical Lead and support staff. The Geotechnical Lead must have demonstrated experience in geotechnical/foundations engineering, be familiar with the most current IDOT Bridge Manual, Geotechnical Manual, IDOT's geotechnical policies, and shall have prepared at least

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

three SGRs or similar foundation reports for federal, state or local transportation projects. These projects must demonstrate sound experience regarding evaluations and recommendations for geotechnical aspects of transportation structures such as foundation options, geotechnical and foundation design parameters, subsurface ground improvement, and construction issues.

The firm is expected to employ sufficient geotechnical support staff, who may be engineers, geologists or technicians, to assist the Geotechnical Lead on office and field work involved in developing and providing the project deliverables. It is expected that the firm will provide the project experience and specific geotechnical work completed by the individual Geotechnical Lead(s) and geotechnical staff. It is not required; however, it is desirable that the firm have geotechnical project experience beyond the projects listed under individual staff experience. Examples of such projects could include projects which used staff no longer with the firm, or have moved into upper management or other positions. Including such projects in the firm experience demonstrates a history of providing similar geotechnical services to clients.

The firm shall also have sufficient facilities, equipment, and software to perform this work.

4. Complex Geotechnical/Major Foundations

This work consists of engineering services utilizing advanced subsurface exploration and testing techniques, conducting complex subsurface/foundation modeling, performing advanced geotechnical/foundation analyses, evaluation, or design, preparing geotechnical reports for large transportation projects or major river bridges, and providing a sound and seasoned opinion and recommendations on unusual geotechnical or foundation issues. The ability to solve complex geotechnical/major foundation issues by the firm's in-house staff must be demonstrated in the following areas and require advanced analytical methods, studies, or innovative solutions:

- a) various difficult subsurface conditions;
- b) failure analyses and repairs;
- c) forensic studies;
- d) state-of-the-art;
 - (1) exploration and testing methods,
 - (2) construction methods,
 - (3) soil and foundation modeling,
- e) tunnels in difficult subsurface soil and rock conditions; and
- f) specialized ground modification and improvement techniques.

The firm shall also demonstrate that they meet the requirements of Items E.2 and E.3 for General Geotechnical Services and Structure Geotechnical Reports above, as well as satisfy the following minimum requirements:

- a) The firm shall employ Geotechnical Leads with over 20 years of collective experience at the complex level. At least two of these employees shall be Geotechnical Leads who are full-time Illinois Licensed Professional Engineers with a minimum of ten years of experience at the complex level.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

- b) The firm shall provide demonstrated experience with a minimum of three complex and premier projects that involved any of the complex issues described above and required innovative technologies/solutions.
- c) The firm shall have adequate support staff of engineers and other applicable professionals with experience in computer modeling, structure support, instrumentation equipment and software. The firm shall also have sufficient facilities, equipment, and software to perform this work.
- d) Firms are not specifically required to have experience outside the state of Illinois to become prequalified. However, firm experience outside the state is advantageous.

H. ENVIRONMENTAL REPORTS

Environmental Reports are prepared simultaneously with Location/Design Studies to assure that all environmental and engineering issues are considered in the decision-making process. Environmental Reports include all investigations and studies necessary to identify potential adverse impacts of proposed projects, evaluate their likely significance, and recommend mitigation actions to reduce their severity. Regulations require that an environmental assessment (EA) or environmental impact statement (EIS) be prepared for federally-assisted or regulated projects unless they are categorically excluded. Criteria for prequalification in **EA** and **EIS** are listed below.

1. Environmental Assessment (EA)

This category includes projects anticipated to include one or more of the following environmental issue areas: agricultural lands; wetlands; floodplains; sensitive biological resources (e.g., threatened or endangered species, nature preserves, or natural areas); cultural resources (archaeological and historical resources or structures); candidate Wild and Scenic Rivers; Section 4(f) lands; or other sensitive environmental resources of public concern. More than one technical environmental study will generally be necessary. The EA is expected to result in a Finding of No Significant Impact (FONSI).

To be prequalified for EA, firms must satisfy all requirements for **Environmental Leads** and **Qualified Environmental Staff**, which include:

- a) Employing a full-time **Environmental Lead** (subconsultants are not allowed) who meets the education, training, and experience for EA prequalification; and
- b) Designating **Qualified Environmental Staff** for Socio-economics/ Community Impacts, Ecology, Noise, Water, Public Involvement, and Technical Writing.

Environmental Lead

Requirements to be pre-qualified as an Environmental Lead at the EA level are listed in the table below.

Qualified Environmental Staff

Staff or subconsultants who meet the requirements listed in the table below must be designated for each environmental discipline:

- Socio-economics/Community Impacts
- Ecology
- Noise

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

- Water

Qualified staff also must be assigned for:

- Public Involvement
- Technical Writing

No person may be assigned more than three disciplines. Resumes should reflect specific NEPA project experience and must include certificates of completion for all training classes. **Important Note:** All members of your firm's staff **AND all subconsultants** employed by other firms that you propose to assign for any environmental discipline must FIRST be entered as "**NEW STAFF**" on the **Corporate Profile/Staff screen in EPAS**. For each subconsultant, the following employment-related questions on the **Staff Information** screen must be completed EXACTLY AS FOLLOWS: Is full time? **NO**. Is consultant? **YES**. Next, the **CONSULTING FIRM NAME (the subconsultant's EMPLOYING FIRM)** must be listed **as shown in the EPAS Instruction Manual**. Failure to follow these instructions and enter all subconsultant data correctly in EPAS will result in your submittal being denied.

2. Environmental Impact Statements (EIS)

This category includes major transportation-related developments that will involve a large number of displacements, or substantial disruption to local traffic patterns and result in potentially significant impacts to one or more of the following special environmental issue areas: agricultural lands; wetlands; floodplains; sensitive biological resources (e.g., threatened or endangered species, nature preserves, or natural areas); cultural resources (archaeological and historical resources and historic structures); candidate Wild and Scenic Rivers; Section 4(f) lands; and other sensitive environmental resources of public concern. Technical analyses of environmental studies are likely to be necessary, resulting in the identification of adverse impacts, suitable mitigation measures, and preparation of an EIS.

To be prequalified for EIS, firms must satisfy all requirements for **Environmental Leads** and **Qualified Environmental Staff**, which include:

- a) Employing a full-time **Environmental Lead** (subconsultants are not allowed) who meets the education, training, and experience for EIS prequalification; and
- b) Designating **Qualified Environmental Staff** qualified for (Socio-economics /Community Impacts), Ecology, Noise, Water, Public Involvement, and Technical Writing.

Environmental Leads

Requirements to be prequalified as an Environmental Lead at the EIS level are listed in the table below.

Qualified Environmental Staff

Staff who meet the requirements listed in the table below must be designated for each environmental discipline:

- Community Impacts/Socio-Economic
- Ecology
- Noise

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

- Water

Qualified staff also must be assigned for:

- Public Involvement
- Technical Writing

No person may be assigned more than three disciplines. For EIS, at least two disciplines must be assigned to qualified in-house staff other than the Environmental Lead. Qualified subconsultants are acceptable for the remaining two disciplines. Since extensive experience is required for EIS prequalification, resumes should reflect specific NEPA project experience and include certificates of completion for all training classes. **Important Note:** All members of your firm's staff **AND all subconsultants** employed by other firms that you propose to assign for any environmental discipline must FIRST be entered as "**NEW STAFF**" on the **Corporate Profile/Staff screen in EPAS**. For each subconsultant, the following employment-related questions on the **Staff Information** screen must be completed EXACTLY AS FOLLOWS: Is full time? **NO**. Is consultant? **YES**. Next, the **CONSULTING FIRM NAME (the subconsultant's EMPLOYING FIRM)** must be listed **as shown in the EPAS Instruction Manual**. Failure to follow these instructions and enter all subconsultant data correctly in EPAS will result in your submittal being denied.

Environmental Lead Requirements

Education: Minimum of B.S. in Urban Planning, Land Use Planning, Geography, Environmental Sciences/Studies or allied (natural/physical environmental resources) disciplines, or Engineering.

Required Training Class: NHI course #142005, "NEPA & the Transportation Decision making Process" or comparable \geq 18-hour course (a syllabus of the comparable course may be required). Certificate of completion must be provided.

Experience: Must include serving as Environmental Lead for required number of completed NEPA documents:

EA: One or more transportation-related EA; two or more transportation-related ECADs*; or one or more transportation-related EIS in the last 10 years.

EIS: Two or more transportation-related EAs; or four or more transportation-related ECADs*; or one or more transportation-related EIS in the last 10 years.

The Environmental Lead is the person that managed or oversaw the preparation of the NEPA environmental document (EA, EIS, or ECAD*). **Only one person may receive credit as the Environmental Lead of any NEPA document.** For EAs and ECADs, submit the signed cover page or signed FONSI. For EISs, submit the signed cover page and EIS List of Preparers. All signed cover pages, FONSI and EIS List of Preparers submitted as evidence must have been completed in the last 10 years.

Notes:

- Subconsultants are not allowed as Environmental Leads.
- Highway experience is preferred, but airport, transit, and other transportation projects may be submitted for possible credit.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

Environmental Discipline Requirements	
a) Socio-economics or Community Impacts:	<p>Education: Minimum of B.S. in Economics, Urban, or Land Use Planning, Geography or related degree.</p> <p>Experience shall include community studies (including demographics), regional economics or land use/urban planning. All NEPA experience should be detailed.</p>
b) Ecology:	<p>Education: Minimum of B.S. in Biology, Botany, Plant Ecology, Soil Science, Zoology, Wildlife Biology, or allied discipline.</p> <p>Experience shall include knowledge of biological field surveys and wetland delineations. Provide certification of wetland delineation training.</p>
c) Noise:	<p>Education: Minimum of B.S. in Acoustical or Civil Engineering, Environmental Sciences/Studies, or allied discipline.</p> <p>Required Training Classes: NHI course #142051, "Highway Traffic Noise" or comparable \geq 18-hour course (a syllabus of the comparable course may be required); and an FHWA Traffic Noise Model course. Certificates of completion must be provided.</p> <p>Experience shall include prediction and/or measurement of highway noise levels, analysis, and/or design of abatement measures, and documentation of analysis results. Specific project experience should be provided.</p>
d) Water:	<p>Education: Minimum of B.S. in Aquatic Biology, Biology, Limnology, or allied discipline.</p> <p>Experience shall include knowledge of at least two of the following: 1) fish, 2) mussels, 3) Stochastic Empirical Loading and Dilution Model (SELDM), or 4) aquatic macroinvertebrate populations.</p>
e) Public Involvement and Technical Writing Requirements:	<p>Persons assigned for Public Involvement and Technical Writing must have knowledge and experience in these areas. (Refer to Chapter 19 of the Bureau Design and Environment (BDE) Manual for Public Involvement guidelines and duties.) Environmental Leads and/or other experienced staff may be designated to handle Public Involvement and/or Technical Writing.</p>

**IDOT previously used the Environmental Class of Action Document (ECAD) as documentation of environmental impacts to aid in NEPA classification. While the ECAD report is no longer in use, ECADs may be submitted for consideration as Firm or Environmental Lead experience (2 ECADs = 1 EA).*

I. TRANSPORTATION STUDIES

1. Mass Transit

Mass Transit work consists of the planning and design of operating systems for the effective movement of people. This includes sociological studies, corridor and terminal design and vehicle selection. Experience in the design of rail or mass transportation is required for prequalification. Minimum personnel requirements are one experienced Illinois Licensed Professional Engineer and support staff.

2. Railway Engineering

This consists of the inspection, evaluation, design, and cost/quantity estimation of existing or potential railway track and structures. The firm is required to have experience in the design, construction, and rehabilitation of track for prequalification. Minimum personnel requirements are; one Illinois Licensed Professional Engineer with Class I Railroad carrier engineering experience in design, construction and rehabilitation of mainline railroad track and all necessary support staff.

3. Railway Planning

Railway Planning studies examine trends, forecasts; needs and opportunities of the State's rail system. Work consists of development of rail planning documents, white papers, and studies for freight, intercity passenger, and commuter rail transportation systems, rail system performance, service gaps, improvement needs (including connectivity to other modes), financial issues, and safety and security of rail transportation. Minimum personnel requirements include a qualified project manager with a minimum of five years of prior managerial experience in rail industry or rail planning and a support staff with analytical experience in rail planning, travel demand modeling, or the rail industry.

J. SPECIAL SERVICES

1. Surveying

This consists of measurements, calculations, and field work necessary to establish line and grade for a specific transportation improvement. Surveys also include topographic surveys, determining boundaries, writing descriptions of specific parcels of land and the installation and restoration of monuments. **Construction staking is not relevant to this category.** Minimum personnel requirements are one Illinois Licensed Professional Land Surveyor and support staff.

2. Aerial Mapping/LiDAR

Aerial Mapping/LiDAR consists of acquiring and processing digital aerial imagery suitable for mapping, planning studies, and the development of precise topographic maps and related photogrammetric products, based upon information obtained from the aerial photography and corresponding ground survey control; and/or the obtaining and processing of Light Detection and Ranging (LiDAR) data, collected via aerial acquisition methods and based upon information obtained from the

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

corresponding ground survey control, in order to provide digital elevation data including surface models, terrains, contours, and topographic features. Minimum requirements are one Illinois Licensed Professional Engineer, one Illinois Professional Land Surveyor, and support staff with training and experience in aerial mapping and/or aerial LiDAR collection and processing.

3. Mobile LiDAR

Mobile LiDAR consists of obtaining and processing Light Detection and Ranging (LiDAR) data, collected via ground-based mobile acquisition methods and based upon information obtained from the corresponding ground survey control, in order to provide digital elevation data, including surface models, terrains, contours, and topographic features. Minimum requirements are one Illinois Licensed Professional Engineer, one Illinois Professional Land Surveyor, and support staff with training and experience in mobile LiDAR data collection and processing.

4. Electrical Engineering

This consists of the design of electrical components of **transportation facilities**. Minimum personnel requirements are one Illinois Licensed Professional Engineer with training and experience in electrical engineering and support staff.

5. Mechanical Engineering

This consists of the design of mechanical components of **transportation facilities**. Minimum requirements are one Illinois Licensed Professional Engineer with training and experience in mechanical engineering. and support staff.

6. Sanitary Engineering

This may consist of the analysis of various waste material and the design and application of storm water and waste disposal facilities to handle and dispose of such. Experience in moving, relocating, and/or establishing sanitary/storm sewers through and/or in roadway systems is required. Minimum requirements are one Illinois Licensed Professional Engineer with training and experience in sanitary engineering. and support staff.

7. Architecture

This consists of the design and preparation of plans, special provisions, and estimate of cost for the construction of transportation related buildings, such as bus /train stations, airport terminal, Tollway plaza, etc. **Schools, offices, courthouses, etc. are not considered for this category.** Minimum personnel requirements are one Illinois Licensed Architect and support staff.

8. Landscape Architecture

This consists of the preparation of plans, special provisions, and estimate of cost for aesthetically pleasing landscape features. Experience in landscaping along roadways, freeways and other **transportation facilities** is required. Minimum personnel requirements for prequalification are one Illinois Licensed Landscape

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

Architect, Illinois Licensed Architect, and/or an Illinois Licensed Professional Engineer with training and experience in landscape architecture and support staff.

9. Hazardous Waste

a. Simple

A variety of sites may be assessed (e.g., residential, commercial/industrial sites, chemical manufacturing sites, vehicle service stations, storage sites and buildings, structures containing potential contamination, and spills in IDOT yards). Additional work may include conducting surveys and testing of stored materials, tank contents, and containers to determine whether hazardous waste, special waste, or hazardous materials are present.

Provisions for laboratory and field testing including geophysical methods will be required for a variety of hazardous and non-hazardous wastes including, but not limited to water quality parameters.

Evaluation, summarizations, and reporting on preliminary site investigations, petroleum-related leaking underground storage tanks (LUSTs), laboratory analysis, and remedial designs, as well as construction oversight activities may be included as an important part of this work.

For a firm to be prequalified in this area of specialization, the following must be fully met: (a) office location and organization, (b) minimum firm experience, (c) minimum staff experience, and (d) equipment/support services, as described below.

(1) Office location and organization

- a) List the office(s) and location (city) from which the majority of IDOT work will be accomplished. That is, key management and technical staff proposed to work on any part of the contract must be stationed at this office location. Specialized expertise from outside offices utilized intermittently during the study, design or implementation of projects is allowed and should be included.
- b) Provide an organizational chart showing the administrative/management of the office and a flow chart of key personnel, professional and technical, and offices that would most likely be involved in the project(s). The organizational chart shall specifically identify the Illinois Licensed Professional Engineer(s) and/or Illinois Licensed Professional Geologist(s). Similarly, subconsultant(s) location and organization shall be detailed in this section. The staff should match those listed in Section c, Minimum Staff Experience. Also, two additional documents shall be added as supplemental pages to the organizational chart; see Sections b (Minimum firm experience) and c (Minimum staff experience) for details on the cross-referenced table/matrix.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

- (2) Minimum firm experience requires the successful completion as the prime consultant of the following:

Seven or more of the following types of projects completed within the past 10 years:

- a) One (1) LUST (using 35 Illinois Administrative Code [IAC] 742 Tier 2 or Tier 3 analysis)
- b) One (1) SRP (under 35 IAC 740 using 35 IAC 742 Tier 2 or Tier 3 analysis)
- c) One (1) RD
- d) One (1) RCO
- e) Three (3) other types of environmental-related projects, one which shall be a RCA project or project with management of RCRA hazardous waste.

To facilitate IDOT review of minimum firm experience, the firm shall present each project description with a numerical identification. The firm shall provide a cross-referenced table / matrix listing the project type (i.e., RCA, LUST, SRP, RD, RCO, other), project identification (project name, client, brief description, location, and regulatory reference ID #), year project was completed, and the staff names associated with the project. The table/matrix shall be titled "Table 1 - Firm Experience" and can be added as a supplemental page to the organization chart.

- (3) Minimum staff experience includes the following technical groups of which at least one individual must be an Illinois Licensed Professional Engineer or an Illinois Licensed Professional Geologist.

- a) Administrative/Managerial Staff – (Responsible for the day-to-day supervision of work assignments, efficient utilization of resources, client satisfaction, and project budgets).

Two or more individuals with five or more years of direct experience in the following skill sets:

1. RCA – Resource Conservation and Recovery Act (RCRA) Corrective Action or management of RCRA hazardous waste
2. LUST – Petroleum-related Leaking Underground Storage Tank cleanup in Illinois
3. SRP – Site Remediation Program cleanup in Illinois
4. RD – Remedial Design
5. RCO – Remedial Construction Oversight

- b) Technical/Professional Staff – (Responsible for performing technical tasks for the projects).

Two or more individuals with three or more years of direct experience in the following skill sets: LUST, SRP, RD, and RCO.

- c) Investigation Field Staff

Two or more individuals, each with two or more years of experience in environmental sampling/measurement activities.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

To facilitate IDOT review of minimum staff requirements, the firm shall provide a cross-referenced table / matrix listing the staff names in each of the three staffing groups, their respective project type experience, professional license(s), if any, and years of experience. The document shall be titled "Table 2 - Staff Experience" and can be added as a supplemental page to the organizational chart.

(4) Minimum equipment/support services:

- a) PPE: List five important pieces of personal protection equipment (levels D, C and B) the firm should have readily available to conduct investigations, remediation, and oversight.
- b) Measuring & Sampling: List ten critical pieces of physical/chemical/geophysical measurement and sampling equipment the firm should have readily available to conduct investigations, remediation, and oversight.
- c) Chemical Testing: In-house capability or established working and/or contractual relationships with an environmental testing laboratory. The environmental laboratory (ies) must be accredited by IEPA under 35 Illinois Administrative Code 186.
- d) Physical Testing & Drilling: In-house capability or established working and/or contractual relationship with physical, geophysical, and drilling companies to conduct investigations, remediation, and oversight.

Additional information for SEFC preparation

- Each project description should clearly indicate, at a minimum:
 - One IDOT project category, i.e., RCA, LUST, SRP, RD, RCO, Other.
 - The year project began and was completed.
 - Client contact person and phone #. It is acceptable to mark as confidential but still must provide contact name and phone. IDOT must have a way to check references.
 - IEPA program reference number for LUST and SRP projects.
- For minimum firm experience (including Table 1.), identify only one category per project description. Thus, there must be at least seven (7) unique project descriptions.
- Ensure the project description and scope of work are germane and specific to the chosen category.
- Project Description: Provide a concise description of the overall project. It is unnecessary to repeat the same information in the Scope of Work section.
- Scope of Work: Describe the specific services the firm provided that are applicable and responsive to the particular category. Do not repeat the same information in the Project Description section.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

b. Advance

A variety of sites may be assessed (e.g., old, abandoned, or improperly closed dumps, chemical manufacturing sites, metal plating/fabricating sites, dry cleaning/service stations, storage sites and buildings, structures containing potential contamination, spills in IDOT yards, and screening for the presence of radionuclides). Additional work may include conducting surveys and testing of stored materials, tank contents, and containers to determine whether hazardous waste, special waste, or hazardous materials are present, conducting environment compliance audits and developing or maintaining environmental management systems.

Provisions for laboratory and field testing including geophysical methods will be required for a wide variety of hazardous and non-hazardous wastes including, but not limited to water quality parameters, poly-chlorinated biphenyls (PCBs), pesticides, heavy metals, organics, and radioactive wastes.

Evaluation, summarizations, and reporting on preliminary site investigations, petroleum-related leaking underground storage tanks (LUSTs), asbestos assessments, laboratory analysis, and remedial designs, as well as construction oversight activities may be included as an important part of this work.

For a firm to be prequalified in this area of specialization, the following must be fully met: (a) office location and organization, (b) minimum firm experience, (c) minimum staffing experience, and (d) equipment/support services, as described below.

(1) Office location & organization

- a) List the main office from which the majority of IDOT work will be accomplished. That is, key management and technical staff proposed to work on any part of the contract must be stationed at this office location. Specialized expertise from outside offices utilized intermittently during the study, design or implementation of projects is allowed and should be included.
- b) Provide an organizational chart showing the administrative/management of the office and a flow chart of key personnel, professional and technical, and offices that would most likely be involved in the project(s). The organizational chart shall specifically identify the Illinois Licensed Professional Engineer(s) and Illinois Licensed Professional Geologist(s). Similarly, subconsultant(s) location and organization shall be detailed in this section. The staff should match those listed in Section C, Minimum Staff Experience. Also, two additional documents shall be added as supplemental pages to the organizational chart; see Sections b (Minimum firm experience) and c (Minimum staff experience) for details on the cross-referenced table/matrix.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

- (2) Minimum firm experience requires the successful completion as the prime consultant of the following:
- a) Ten or more of the following types of projects completed within the past 10 years:
 1. one (1) Remedial Investigation/Feasibility Study (RI/FS) (using CERCLA/SARA procedures),
 2. one (1) RCRA Corrective Action (RCA),
 3. one (1) Remedial Design (RD),
 4. one (1) Remedial Construction Oversight (RCO),
 5. two (2) Site Remediation Programs (SRPs) (under 35 Illinois Administrative Code (IAC) 740, and at least one (1) using 35 IAC 742 Tier 2 or Tier 3 analysis), and
 6. two (2) Leaking Underground Storage Tanks (LUSTs) (both using 35 IAC 742 Tier 2 or Tier 3 analysis).
 7. two other types of projects (RI/FS, RCA, RD, RCO, SRP or LUST using Tier 2 or Tier 3, ECA, EMS, Risk Assessment [RA], or Construction Oversight [CO]).
 - b) In addition to the above projects, four (4) Environmental multi-media Compliance Audits (ECA) projects on industrial or governmental facilities completed within the past **10 years**.

To facilitate IDOT review of minimum firm experience, the firm shall present each project description with a numerical identification. The firm shall provide a cross-referenced table/matrix showing the project identification (project name, client, location, brief description, and regulatory ID number), year project was completed, and the staff names associated with the project versus the project type (e.g., RI/FS, RCA, RD, LUST, etc.). Include the client name and telephone number for every project description. For LUST and SRP project descriptions, include the IEPA program tracking reference numbers, e.g., the LPC#. The cross-reference table/matrix shall be titled "Table 1 - Firm Experience" and can be added as a supplemental page to the organizational chart.

- (3) Minimum staff experience includes the following technical groups of which one individual must be an Illinois Licensed Professional Engineer and one individual must be an Illinois Licensed Professional Geologist:
- a) Administrative/Managerial Staff - (Responsible for the day-to-day supervision of work assignments, efficient utilization of resources, client satisfaction, and project budgets).

Three or more individuals, each with five or more years of direct experience in the following skill sets:

- Comprehensive Environmental Response, Compensation, and Liability Act of 1980 as amended by the Superfund Amendments and Reauthorization Act of 1986 (CERCLA/SARA),
- Remedial Investigation/Feasibility Studies (RI/FS's),
- Resource Conservation and Recovery Act (RCRA),

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

- Facility Inspections (RFI's),
 - RCRA Corrective Action (RCA),
 - Remedial Designs (RD's),
 - Remedial Construction Oversight (RCO),
 - Site Remediation Program (SRP) cleanups in Illinois,
 - Petroleum-related Leaking Underground Storage Tank (LUST) cleanups in Illinois, and
 - Environmental multi-media Compliance Audits (ECA's).
- b) Technical/Professional Staff - (Responsible for providing technical direction for the project(s), and effective management of technical support staff, project schedule(s), and budget(s)).
- Four or more individuals, each with five or more years of direct experience in CERCLA/SARA, RI/FS's, RFI's, RCA, RD's, RCO, SRP, and petroleum-related LUST cleanups in Illinois, and ECA's.
 - Three or more individuals, each with four or more years of direct experience in CERCLA/SARA, RCA, RDs and RCO.
- c) Investigation Field Staff - Four or more individuals, each with three or more years of experience in environmental sampling/measurement activities.

To facilitate IDOT review of minimum staff requirements, the firm shall provide a cross-referenced table/matrix listing the staff names in each of the three staffing groups, their respective project type experience, professional license(s), if any, and years of experience. The document shall be titled "Table 2 - Staff Experience" and can be added as a supplemental page to the organizational chart.

(4) Minimum equipment/support services:

- a) PPE: Personal protection equipment (levels D, C and B) to conduct investigations and remediations.
- b) Measuring & Sampling: Physical/chemical/geophysical measurement and sampling equipment to conduct investigations and remediations.
- c) Chemical Testing: In-house capability or established working and/or contractual relationships with an environmental testing laboratory. The environmental laboratory (ies) must be accredited by IEPA under 35 Illinois Administrative Code 186.
- d) Physical Testing & Drilling: In-house capability or established working and/or contractual relationship with physical, geophysical, and drilling companies to conduct investigations, remediation, and oversight.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

Additional information for SEFC preparation

- Each project description should clearly indicate, at a minimum:
 - One IDOT project category, i.e., ECA, RI/FS, LUST, SRP, Other, etc.
 - The year project began and was completed.
 - Client contact person and phone #. It is acceptable to mark as confidential but still must provide contact name and phone. IDOT must have a way to check references.
 - IEPA program reference number for LUST and SRP projects.
- For minimum firm experience (including Table 1 – Firm Experience) identify only one category per project description. Thus, there must be at least fourteen (14) unique project descriptions.
- Ensure the project description and scope of work are germane and specific to the chosen category.
- Project Description: Provide a concise description of the overall project. It is unnecessary to repeat the same information in the Scope of Work section.
- Scope of Work: Describe the specific services the firm provided that are applicable and responsive to the particular category. Do not repeat the same information in the Project Description section.

10. Asbestos Abatement Surveys

Services are required to perform asbestos surveys of buildings requiring demolition. This work will include review of existing data, a building survey, asbestos sampling and analysis and preparation of a report summarizing the location and description of the identified asbestos, quantities, and a preliminary estimate of abatement costs.

For a firm to be prequalified in this area of specialization, the following minimum firm experience, staffing requirements, and equipment/support services must be fully met:

- a) Minimum firm experience requires the successful completion as the prime consultant of ten or more asbestos abatement surveys in the last ten years.
- b) Minimum staff requirements include the following of which one individual must be an Illinois Licensed Professional Engineer and/or Architect:
 - (1) Administrative/Managerial Staff - (Responsible for the day-to-day supervision of work assignments, efficient utilization of resources, and client satisfaction).

One or more individuals, each with five or more years of direct experience in conducting Asbestos Abatement Surveys.

- (2) Technical/Professional Staff - (Responsible for providing technical direction for the project(s), and effective management of technical support staff, project schedule(s), and budget(s)).

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

Two or more individuals, each with five or more years of direct experience in Asbestos Abatement Surveys. These individuals must also be licensed by the Illinois Department of Public Health (IDPH).

- c) Minimum equipment/support services include in-house capability or established working relationship with a laboratory accredited by the American Industrial Hygiene Association (AIHA) to conduct asbestos analyses.

11. Construction Inspection

Construction Inspection work consists of staking, material testing and inspection, documentation of materials and quantities, record keeping and enforcement of specifications applicable to a contractor's work on construction projects. As a prerequisite for a Construction Inspection prequalification rating, a consultant must have:

- a) An in-house full-time employee who has experience in the position of **Resident Engineer**, or equivalent experience, in construction work under IDOT specifications and has a working knowledge of IDOT specifications and procedures.
- b) One or more in-house full-time employees who have a working knowledge of IDOT specifications and documentation procedures for the inspection of work and a current certificate for the successful completion of the IDOT Construction Documentation of Contract Quantities class. A current IDOT Construction Documentation of Contract Quantities certification number must be included.
- c) Trained technicians who have experience and a working knowledge in the area of Hot Mixed Asphalt (HMA), Portland Cement Concrete (PCC), and Soils testing are highly desirable. All personnel performing materials field testing for PCC (air, slump, making strength specimens, sampling, and temperature) and HMA (density and temperature) should have successfully completed the appropriate QC/QA trained technician classes. Personnel performing field testing for Soils (density) shall have completed IDOT Class STTP S-33 for Soils Field Testing and Inspection, formerly known as "Standard Earth Density."
- d) Access to IDOT approved testing equipment for PCC, HMA, Aggregates, and Soils according to the "Manual of Test Procedures for Materials."
- e) Either a full-time employee with experience as a survey party chief and adequate survey equipment or a subconsultant prequalified in surveying.

12. Quality Assurance Testing

- a) Services

A quality assurance plan following the BDE Manual Chapter 8-6 "Quality Assurance/Quality Control Guidelines for Work by Consulting Engineers" is required. Services include managing the Quality Assurance (QA) requirements for Hot Mix Asphalt (HMA) and Portland Cement Concrete (PCC) Quality Control/Quality Assurance (QC/QA) projects according to the Standard

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

Specifications for Road and Bridge Construction and any applicable contract special provisions.

Services also include coordination of QA activities with the contractor and the Engineer, QA field and lab tests, inspection of the contractor's QC activities, reporting of results and investigations of tests when required by the contract.

b) Personnel Requirements

Project Manager - Minimum personnel requirements include a qualified project manager who shall be an Illinois Licensed Professional Engineer and who shall manage the required QA activities and tests at the specified Quality Assurance laboratory listed in the SEFC application. The Project Manager shall be a full time employee at the QA laboratory. The project manager must have successfully completed the following classes:

(1) QC/QA Training Classes

- a) HMA Level I, II, and III Mix Design classes and the Superpave upgrade class (if the original class preceded the inclusion of Superpave),
- b) PCC Level I, II, and III Mix design Classes,
- c) Aggregates – Aggregate classes are in addition to the HMA and/or PCC QC/QA Training classes. They include the three-day Mixture Aggregate Technician Course or the 5-day Aggregate Technician Course.

(2) Specific Task Training Program Classes

- a) S-14 Construction Documentation
- b) S-33 Soils Field Testing and Inspection

(3) Field Supervisor/Lab Manager – The project manager shall indicate on the SEFC who, if other than the project manager, oversees operation of field technicians, or laboratory activities. The project manager shall document the person's time in their position, as well as their experience and education.

(4) Field/Lab Technicians

Personnel directly in charge of sampling and testing should have a minimum of 3 years (field) and/or 5 years (lab) of relevant experience in HMA designs. Personnel coordinating QA activities for PCC projects should have at least two years of experience in field tests and observations. The consultant shall provide a list of all current technical employees who have received training through the QC/QA program and/or the Specific Task Training program offered by IDOT. The list shall include all attendance dates as well as a Pass (P) or Fail (F) notification document.

c) Laboratory and Equipment

The consultant shall have an IDOT approved PCC/Aggregate, or HMA/Aggregate laboratory as indicated in the advertisements for offers of interest for professional services. The laboratory and equipment shall be approved according to the current Bureau of Materials and Physical Research

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

(BMPR) Policy Memorandum, "Minimum Private Laboratory Requirements for Construction Materials Testing or Mix Design."

The laboratory indicated in the advertisement for offers of interest for professional services shall be accredited according to the AASHTO Accreditation Program (AAP) for those procedures specified for the type(s) of laboratory in the BMPR Policy Memorandum, "Minimum Private Laboratory Requirements for Construction Materials Testing or Mix Design." They shall also participate in **ALL** proficiency testing specified for the type(s) of laboratory in the policy memorandum as well. The project manager (or designee) shall add IDOT as a specified on the AASHTO website, allowing IDOT access to the laboratory's proficiency test results. The effected date for IDOT to have access to proficiency test results shall be rolled back as far as possible for each test procedure on the AASHTO website.

The Consultant shall also have IDOT-approved testing equipment for PCC and HMA field tests according to the "Manual of Test Procedures for Materials." PCC field testing includes air, slump, making strength specimens, sampling, temperature, and self-consolidating concrete tests. HMA field testing includes density and temperature. The Manual of Test Procedures for Materials may be downloaded from the website under the Bureau of Materials Section.

13. Subsurface Utility Engineering

Services include the utilization of ASCE 38 "Standard Guideline for Collection and Depiction of Existing Subsurface Utility Data." Responsibilities include highly efficient, nondestructive engineering incorporating civil engineering, surface geophysics, surveying and mapping, nondestructive vacuum excavation, and asset management technologies to identify and classify quality levels of existing subsurface utility data as well as map the locations of the underground utilities. The projects will involve research, field investigations, test holes, plotting design, engineering analysis and recommendations relative to impacts on existing or proposed utilities. The consultant must be able to complete the following four levels of subsurface utility engineering:

Level A:

Precise horizontal and vertical location of utilities obtained by the actual exposure and subsequent measurement of surface utilities, usually at a specific point. Minimally intrusive excavation equipment is typically used to minimize the potential for utility damage. A precise horizontal and vertical location, as well as other utility attributes, is shown on plan documents. Accuracy is typically set to 15-mm vertical and to applicable horizontal survey and mapping accuracy as defined or expected by the project owner.

Level B:

Information obtained through the application of appropriate surface geophysical methods to determine the existence and approximate horizontal position of subsurface utilities. Quality level B data should be reproducible by surface geophysics at any point of their depiction. This information is surveyed to applicable tolerances defined by the project and reduced onto plan documents.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

Level C:

Information obtained by surveying and plotting visible above-ground utility features and by using professional judgment in correlating this information to quality Level D information.

Level D:

Information derived from existing records or oral recollections.

The consultant is also required to have the following:

- a) Experience in researching the location of utilities, above and underground.
- b) Knowledge of the equipment/techniques necessary to locate the utilities.
 - (1) Surface geophysical techniques, such as, electromagnetic, magnetic, sonic, etc.
 - (2) Excavation by use of test holes using vacuum excavation or comparable non-destructive equipment.
- c) The ability to determine the extent the proposed roadway improvement impacts the existing utilities.
- d) The ability to provide staff and equipment for simultaneous projects at multiple locations.
- e) A project manager and project engineer who have adequate experience in managing subsurface underground engineering projects.
- f) One Illinois Licensed Professional Engineer and support staff.

14. Public Involvement

Public Involvement consists of services required to involve and notify specific communities and stakeholders effected by a transportation project. This work involves gathering and documenting thoughts and opinions of the traveling public, transportation staff, government officials, and other stakeholders, to create open communication during the development and design of a transportation project. Public Involvement Lead and Support Staff are to represent IDOT in a professional manner when facilitating such transportation projects and must demonstrate: knowledge and experience of effective ways of contacting the public, facilitating public meetings and hearings, creating a Stakeholder Involvement Plan (SIP), use of social media, creating project websites, organizing special events for public/stakeholder engagement and community outreach to involve the traveling public and all stakeholders with a vested interest in the project. To prequalify for Public Involvement, firms are required to have staff that meet both the Lead requirements and all of the following categories for the support staff listed below:

- Media strategy and implementation, including social media;
- Website creation (desired, but not required);
- Presentation/communication material preparation;

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

- Public and stakeholder information distribution; and
- Stakeholder identification and involvement.

Public Involvement Lead Requirements:

- a) **Education:** Minimum 4-year degree
- b) **Experience:** Must include serving as the Public Involvement Lead for the required number of public involvement documents:
 - (1) One or more sample letter(s) of having to contact the public for a transportation related project;
 - (2) One or more transportation-related project(s) holding a public hearing and/or meeting; and a copy/evidence of a public hearing and/or meeting; and
 - (3) One or more transportation-related project(s) having a Stakeholder Involvement Plan (SIP); and a copy of the plan.

The Public Involvement Lead is the person that managed or oversaw the preparation of all the above documents. Only one person may receive credit as the Public Involvement Lead of any of the above documents. The Public Involvement Lead shall also provide their resume documenting past transportation-related public involvement experience. Experience listed in the Lead's resume shall include specific public meetings, such as, Workshops, Open House, and Information Exchange and specifically how the Lead was the person who facilitated such public meetings and managed or oversaw the preparation of such meetings. (Refer to Chapter 19 of the Bureau Design and Environment (BDE) Manual for Public Involvement guidelines and duties.)

Public Involvement Support Staff Requirements:

- a) **Education:** Minimum 2-year degree or Minimum 2-years' experience
- b) **Experience:** Shall be listed in the Support Staff's resume and must include knowledge and experience of any or all of the following categories:
 - (1) Media strategy and implementation, including social media;
 - (2) Website creation;
 - (3) Presentation/communication material preparation;
 - (4) Public and stakeholder information distribution; and
 - (5) Stakeholder identification and involvement.

Notes:

- Experience must reflect projects that were completed within the last **5 years**.
- Subconsultants are not allowed as Public Involvement Leads or as Support Staff **except** for the website creation category.
- For a firm to be pre-qualified for Public Involvement, all categories listed under Support Staff must be met.

DESCRIPTION AND MINIMUM REQUIREMENTS FOR PREQUALIFICATION

For Engineering, Architectural & Professional Services

15. Project Controls

Project Controls consists of the development tracking and forecasting of project schedules, development of detailed costs, including the monitoring and control of project or program cost expenditures in addition to developing construction cost estimates of project and/or program. Additionally, provide for scope control as it relates to change management as well as risk management. As a prerequisite for a Project Controls prequalification rating, a consultant must have:

- a) Experience developing, maintaining and reviewing IDOT, or another comparable agency, program, project or planning, detail design and design development phase and construction phase schedules using the Critical Path Method (CPM). This includes a level of competence/confidence in applicable scheduling tools or software such as Oracle/Primavera P6.
- b) Experience developing and maintaining IDOT, or another comparable agency, Cost Control procedures and standards.
- c) Experience developing and maintaining IDOT, or another compatible agency, change management logs, registries and forecasting procedures for all phases of a project or program. This may include developing strategies for mitigating or negotiating changes.
- d) Experience developing and maintaining IDOT, or another comparable agency, Earned Value Management System (EVMS) and Performance Measurement Baseline (PMB).
- e) Experience developing IDOT, or another comparable agency, construction cost estimates utilizing parametric or construction crew-based estimates applied to standard IDOT Pay Items or project specific pay items including lump sums. This includes a level of competence/confidence in utilizing applicable construction cost software which may include take-off applications like On-Screen Takeoff, in addition to standard cost estimating software like R S Means, Sage Estimating (Timberline), Bluebeam, Heavy Bid (by HCSS).
- f) Experience developing and maintaining IDOT, or another comparable agency, Risk Registries, Risk Rating and Risk Mitigation Strategies through quantitative and qualitative methods.
- g) Experience developing and maintaining IDOT, or another comparable agency, Document and Configuration Control Systems. This would include utilizing accepted document controls systems/software may include SharePoint, Aconex, PM Web, e-Builder and others.
- h) Experience analyzing IDOT, or another comparable agency, consultant or contractor delay or change claims. The experience(s) should include demonstration of providing early identifications through the claim resolution.

Note: *The listing of specific software/applications or systems is not an endorsement of specific companies or processes and is used to provide a context for demonstrating experiences with these or similar programs in order to pre-qualify for these project controls functions.*